


CLIMATOGRAPHY OF THE UNITED STATES NO. 81



**Monthly Station Normals
of Temperature, Precipitation,
and Heating and Cooling
Degree Days
1971 - 2000**



NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 2

(This Page Intentionally Left Blank)



CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 3

NOTES

Product Description:

This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:

No. = Station Number in State Map	Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)
COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)	Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)
WBAN ID = Weather Bureau Army Navy ID, if assigned	Elev = Elevation in feet above mean sea level
Elements = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)	Flag 1 = * if a published <i>Local Climatological Data</i> station
Call = 3-Letter Station Call Sign, if assigned	Flag 2 = + if WMO Fully Qualified (see Note below)
MAX = Normal Maximum Temperature (degrees Fahrenheit)	HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000
MEAN = Average of MAX and MIN (degrees Fahrenheit)	MEDIAN = Median Mean Monthly Value/Year, 1971-2000
MIN = Normal Minimum Temperature (degrees Fahrenheit)	LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000
HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)	MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule
CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)	MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO, 1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (e.g., changes in station location, instrumentation, time of observation, etc.) and be serially complete (i.e., no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al.*, 1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.


Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (e.g., after 1995), the discontinuity may not be detectable using this methodology.


The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (e.g., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

- Easterling, D.R. and T.C. Peterson, 1995: *A new method for detecting and adjusting for undocumented discontinuities in climatological time series*. *Int. J. Clim.*, **15**, 369-377.
- Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland, 1986: *A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States*. *J. Clim. Appl. Met.*, **25**, 145-160.
- Peterson, T.C., and D.R. Easterling, 1994: *Creation of homogeneous composite climatological reference series*. *Int. J. Clim.*, **14**, 671-679.
- Peterson, T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: *Global Historical Climatology Network (GHCN) quality control of monthly temperature data*. *Int. J. Clim.*, **18**, 1169-1179.
- Thom, H.C.S., 1966: *Normal degree days above any base by the universal truncation coefficient*. *Month. Wea. Rev.*, **94**, 461-465.
- World Meteorological Organization, 1989: *Calculation of Monthly and Annual 30-Year Standard Normals*. WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

03 - ARKANSAS






CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 5

No.	COOP ID	WBAN ID	Elements	Station Name	STATION INVENTORY					
					Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	030006		P	ABBOTT		35 05 N	94 12 W	624	+	
2	030064		XNP	ALICIA		35 54 N	91 05 W	256	+	
3	030130		XNP	ALUM FORK		34 48 N	92 51 W	698	+	
4	030150		P	AMITY 2 N		34 16 N	93 22 W	475	+	
5	030178		P	ANTOINE		34 02 N	93 25 W	285	+	
6	030220		XNP	ARKADELPHIA 2 N		34 09 N	93 04 W	196	+	
7	030234		P	ARKANSAS CITY		33 37 N	91 12 W	145	+	
8	030240		XNP	ARKANSAS POST		34 02 N	91 21 W	194	+	
9	030286		P	ASHDOWN 4 SSE		33 37 N	94 06 W	320	+	
10	030300		P	ATHENS		34 19 N	93 59 W	960	+	
11	030326		P	AUGUSTA 2 NW		35 18 N	91 23 W	195	+	
12	030458		XNP	BATESVILLE LIVESTOCK		35 50 N	91 48 W	571	+	
13	030460	93941	XNP	BATESVILLE L&D 1		35 45 N	91 38 W	260	+	
14	030536		XNP	BEDEVILLE 4 NE		35 28 N	91 03 W	240	+	
15	030582		XNP	BENTON		34 34 N	92 36 W	310	+	
16	030586		XNP	BENTONVILLE 4 S		36 19 N	94 13 W	1220	+	
17	030616		P	BERRYVILLE 5 NW		36 26 N	93 37 W	1180	+	
18	030664		P	BIG FORK 1 SSE		34 28 N	93 57 W	1100	+	
19	030724		P	BISMARCK 2 SE		34 17 N	93 09 W	500	+	
20	030746		P	BLACK ROCK		36 06 N	91 06 W	240	+	
21	030764		XNP	BLAKELY MOUNTAIN DAM		34 34 N	93 12 W	426	+	
22	030798		XNP	BLUE MOUNTAIN DAM		35 07 N	93 39 W	426	+	
23	030800		P	BLUFF CITY 3 SW		33 42 N	93 10 W	360	+	
24	030806		XNP	BLYTHEVILLE		35 55 N	89 54 W	252	+	
25	030820		P	BONNERDALE 4 SW		34 22 N	93 25 W	1020	+	
26	030832		XNP	BOONEVILLE 3 SSE		35 06 N	93 55 W	700		
27	030936		XNP	BRINKLEY		34 53 N	91 11 W	200	+	
28	031010		P	BUFFALO TOWER		35 52 N	93 30 W	2578		
29	031102		XNP	CABOT 4 SW		34 57 N	92 05 W	279	+	
30	031132		XNP	CALICO ROCK 2 WSW		36 07 N	92 10 W	350	+	
31	031140		XNP	CALION LOCK & DAM		33 18 N	92 29 W	100		
32	031152		XNP	CAMDEN 1		33 35 N	92 49 W	116	+	
33	031442		XNP	CLARENDRON		34 42 N	91 18 W	180		
34	031455		XNP	CLARKSVILLE		35 29 N	93 27 W	454		
35	031457		P	CLARKSVILLE 6 NE		35 32 N	93 24 W	850		
36	031492		P	CLINTON		35 35 N	92 28 W	540	+	
37	031596		XNP	CONWAY		35 05 N	92 26 W	315	+	
38	031632		XNP	CORNING		36 25 N	90 35 W	300	+	
39	031666		P	COVE		34 26 N	94 25 W	1060	+	
40	031730		XNP	CROSSETT 2 SSE		33 08 N	91 58 W	180	+	
41	031750		P	CRYSTAL VALLEY		34 42 N	92 27 W	355	+	
42	031829		P	DAMASCUS 3 NNE		35 24 N	92 23 W	680	+	
43	031834		P	DANVILLE		35 02 N	93 24 W	375	+	
44	031838		XNP	DARDANELLE		35 14 N	93 10 W	370		
45	031900		XNP	DEER		35 50 N	93 12 W	2375	+	
46	031948		XNP	DEQUEEN		34 02 N	94 21 W	420	+	
47	031962		XNP	DERMOTT 3 NE		33 33 N	91 23 W	143	+	
48	031968		XNP	DES ARC		34 59 N	91 30 W	200	+	
49	032015		P	DIERKS		34 08 N	94 01 W	470	+	
50	032148		XNP	DUMAS		33 53 N	91 32 W	163	+	
51	032300	93992	XNP	EL DORADO S AZ RGNL AP	ELD	33 13 N	92 49 W	252	+	
52	032355		XNP	EUDORA		33 07 N	91 16 W	135	+	
53	032356		XNP	EUREKA SPRINGS 3 WNW		36 25 N	93 47 W	1420		
54	032366		XNP	EVENING SHADE 1 NNE		36 05 N	91 37 W	500	+	
55	032444		XNP	FAYETTEVILLE EXP STN	FYV	36 06 N	94 10 W	1270	+	
56	032540		XNP	FORDYCE		33 49 N	92 26 W	230		
57	032544		P	FOREMAN		33 43 N	94 23 W	400		
58	032574	13964	XNP	FORT SMITH RGNL AP	FSM	35 20 N	94 22 W	449	*	+
59	032670		P	FULTON		33 37 N	93 49 W	260		
60	032760		P	GEORGETOWN		35 08 N	91 27 W	200	+	
61	032794		XNP	GILBERT		35 59 N	92 43 W	620	+	
62	032842		P	GLENWOOD		34 20 N	93 32 W	550	+	
63	032922		P	GRAVELLY 1 ESE		34 53 N	93 41 W	461	+	
64	032930		XNP	GRAVETTE		36 26 N	94 27 W	1260	+	
65	032946		P	GREEN FOREST		36 20 N	93 26 W	1360	+	
66	032962		XNP	GREENBRIER		35 14 N	92 22 W	330		
67	032976		P	GREENWOOD		35 13 N	94 15 W	518	+	
68	032978		XNP	GREERS FERRY DAM		35 31 N	92 00 W	527	+	
69	033074		P	GURDON		33 55 N	93 08 W	220		
70	033088		P	HAMBURG		33 14 N	91 48 W	180	+	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 6

No.	COOP ID	WBAN ID	Elements	Station Name	STATION INVENTORY						
					Call	Latitude	Longitude	Elev	Flag 1	Flag 2	
71	033165	13971	XNP	HARRISON BOONE CO AP	HRO	36 16 N	93 09 W	1374		+	
72	033235		XNP	HECTOR 2 SSW		35 26 N	93 00 W	640			
73	033242		XNP	HELENA		34 31 N	90 35 W	195		+	
74	033428		XNP	HOPE 3 NE		33 43 N	93 33 W	375		+	
75	033438		P	HOPPER 1 E		34 22 N	93 40 W	710		+	
76	033442		P	HORATIO		33 56 N	94 22 W	337		+	
77	033466		XNP	HOT SPRINGS 1 NNE		34 31 N	93 03 W	680		+	
78	033544		XNP	HUNTSVILLE 1 SSW		36 04 N	93 45 W	1783			
79	033600		P	JASPER		36 00 N	93 11 W	840		+	
80	033704		P	JESSIEVILLE		34 42 N	93 03 W	722		+	
81	033734		XNP	JONESBORO 4 N		35 53 N	90 42 W	390		+	
82	033821		XNP	KEISER		35 40 N	90 05 W	232		+	
83	033831		P	KELSO 3 NW		33 49 N	91 20 W	145			
84	033862		XNP	KEO		34 36 N	92 00 W	230		+	
85	033998		P	LAKE CITY		35 48 N	90 27 W	230			
86	034010		P	LAKE MAUMELLE		34 51 N	92 29 W	305		+	
87	034060		P	LANGLEY		34 16 N	93 49 W	820			
88	034106		XNP	LEAD HILL		36 26 N	92 56 W	715		+	
89	034134		XNP	LEOLA		34 10 N	92 35 W	255			
90	034248	13963	XNP	LITTLE ROCK ADAMS AP	LIT	34 45 N	92 14 W	257	*	+	
91	034528		P	MADISON 1 NW		35 02 N	90 44 W	300		+	
92	034548		XNP	MAGNOLIA		33 15 N	93 14 W	318		+	
93	034562		XNP	MALVERN		34 23 N	92 50 W	311		+	
94	034572		XNP	MAMMOTH SPRING		36 30 N	91 32 W	502		+	
95	034638		XNP	MARIANNA 2 S		34 44 N	90 46 W	234		+	
96	034666		XNP	MARSHALL		35 55 N	92 38 W	1013			
97	034708		P	MCARTHUR		33 41 N	91 20 W	143			
98	034746		P	MELBOURNE 5 WNW		36 04 N	91 54 W	575		+	
99	034756		XNP	MENA		34 34 N	94 15 W	1130		+	
100	034900		XNP	MONTICELLO 3 SW		33 36 N	91 49 W	290		+	
101	034938		XNP	MORRILTON		35 09 N	92 46 W	340			
102	034988		XNP	MOUNT IDA 3 SE		34 32 N	93 35 W	697		+	
103	035018		XNP	MOUNTAINBURG 2 NE		35 39 N	94 09 W	793			
104	035036		XNP	MOUNTAIN HOME 1 NNW		36 21 N	92 24 W	800		+	
105	035046		XNP	MOUNTAIN VIEW		35 55 N	92 06 W	780		+	
106	035079		XNP	MURFREESBORO 5 SW		34 02 N	93 46 W	460		+	
107	035112		XNP	NASHVILLE		33 56 N	93 51 W	400		+	
108	035160		P	NATURAL DAM		35 35 N	94 22 W	750		+	
109	035177		P	NEWHOPE 6 S		34 09 N	93 54 W	630			
110	035186		XNP	NEWPORT		35 36 N	91 16 W	228		+	
111	035200		XNP	NIMROD DAM		34 57 N	93 10 W	480		+	
112	035320	03952	XNP	NORTH LITTLE ROCK AP	1M1	34 50 N	92 16 W	563			
113	035354		P	ODELL 2 N		35 47 N	94 25 W	1500		+	
114	035358		P	ODEN 1 SE		34 36 N	93 46 W	800		+	
115	035376		XNP	OKAY		33 46 N	93 55 W	300			
116	035428		P	OMAHA 4 NE		36 29 N	93 08 W	1376			
117	035498		P	OWENSVILLE		34 37 N	92 46 W	580		+	
118	035508		XNP	OZARK		35 29 N	93 49 W	390			
119	035514		P	OZONE		35 38 N	93 26 W	1910		+	
120	035563		XNP	PARAGOULD 1 S		36 02 N	90 30 W	270			
121	035591		P	PARKS		34 49 N	93 58 W	608		+	
122	035691		P	PERRY		35 03 N	92 48 W	300		+	
123	035754		XNP	PINE BLUFF		34 14 N	92 01 W	215		+	
124	035760		P	PINE RIDGE		34 35 N	93 54 W	840		+	
125	035770		P	PINEY GROVE		34 10 N	93 12 W	380		+	
126	035820		XNP	POCAHONTAS 1		36 16 N	90 58 W	315		+	
127	035866		XNP	PORTLAND		33 14 N	91 30 W	120		+	
128	035908		XNP	PREScott		33 48 N	93 23 W	308		+	
129	036008		P	RATCLIFF		35 18 N	93 53 W	463		+	
130	036253		XNP	ROHWER 2 NNE		33 49 N	91 16 W	150		+	
131	036376		XNP	SAINT CHARLES		34 23 N	91 08 W	200			
132	036380		P	SAINT FRANCIS		36 27 N	90 09 W	300		+	
133	036393		P	ST PAUL		35 49 N	93 46 W	1390			
134	036403		P	SALEM		36 22 N	91 49 W	680		+	
135	036506		XNP	SEARCY		35 14 N	91 50 W	245		+	
136	036562		XNP	SHERIDAN		34 18 N	92 23 W	250			
137	036586		P	SHIRLEY		35 39 N	92 19 W	560			
138	036624		XNP	SILOAM SPRINGS		36 10 N	94 32 W	1140			
139	036768		XNP	SPARKMAN		33 55 N	92 50 W	170		+	
140	036804		XNP	STAMPS		33 22 N	93 29 W	270			



CLIMATOGRAPHY OF THE UNITED STATES NO. 81


Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 7

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
141	036918		P	STUTTGART		34 30 N	91 33 W	214	+	
142	036920		XNP	STUTTGART 9 ESE		34 28 N	91 25 W	198	+	
143	036928		XNP	SUBIACO		35 18 N	93 38 W	500		+
144	037038		P	TAYLOR		33 06 N	93 28 W	250		
145	037048	13977	XNP	TEXARKANA WEBB FIELD	TXK	33 27 N	94 00 W	361		
146	037488		XNP	WALDRON		34 54 N	94 12 W	675	+	
147	037582		XNP	WARREN 2 WSW		33 36 N	92 06 W	210	+	
148	037592		P	WASHITA		34 39 N	93 32 W	610	+	
149	037712		XNP	WEST MEMPHIS		35 07 N	90 11 W	215	+	
150	038052		XNP	WYNNE		35 15 N	90 48 W	260	+	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 8

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ALICIA	MAX	44.9	51.5	61.2	71.3	80.6	89.0	93.1	91.7	84.4	74.7	59.6	48.9	70.9
		MEAN	35.3	40.5	49.8	59.3	69.6	78.2	82.3	80.4	72.6	61.9	49.1	39.7	59.9
		MIN	25.6	29.4	38.4	47.2	58.6	67.4	71.5	69.0	60.8	49.1	38.5	30.5	48.8
003	ALUM FORK	MAX	47.8	53.5	61.8	70.6	77.7	85.3	90.8	89.9	82.9	73.7	59.8	50.6	70.4
		MEAN	37.4	42.0	50.3	58.8	67.3	74.9	79.7	78.3	71.7	61.5	49.1	40.5	59.3
		MIN	26.9	30.4	38.7	47.0	56.8	64.4	68.5	66.6	60.4	49.3	38.3	30.4	48.1
006	ARKADELPHIA 2 N	MAX	54.6	61.2	70.0	77.8	83.8	90.1	94.0	93.9	87.9	78.5	65.9	57.1	76.2
		MEAN	42.6	47.9	56.0	63.5	71.1	78.0	81.8	81.0	74.6	63.8	53.1	45.2	63.2
		MIN	30.6	34.5	42.0	49.2	58.3	65.8	69.5	68.0	61.3	49.1	40.3	33.2	50.2
008	ARKANSAS POST	MAX	50.1	56.8	65.5	73.6	81.1	88.0	91.6	90.6	84.8	75.3	62.1	52.8	72.7
		MEAN	41.3	46.8	55.1	63.1	71.1	78.4	81.9	80.6	74.6	64.4	53.0	44.3	62.9
		MIN	32.4	36.8	44.7	52.6	61.1	68.7	72.1	70.6	64.4	53.4	43.8	35.7	53.0
012	BATESVILLE LIVESTOCK	MAX	48.8	55.7	64.5	74.2	80.9	88.5	93.7	93.1	86.0	76.2	61.9	51.5	72.9
		MEAN	38.5	44.1	52.4	61.4	68.8	76.8	81.8	80.6	73.6	63.1	51.2	41.6	61.2
		MIN	28.2	32.5	40.3	48.5	56.7	65.1	69.9	68.1	61.2	49.9	40.5	31.6	49.4
013	BATESVILLE L&D 1	MAX	45.1	51.1	60.0	69.3	78.2	86.6	91.8	90.3	82.4	72.0	58.8	48.9	69.5
		MEAN	35.0	39.9	49.0	57.8	67.4	75.8	80.6	78.8	71.0	59.7	48.1	39.1	58.5
		MIN	24.9	28.7	37.9	46.3	56.6	64.9	69.4	67.2	59.6	47.4	37.3	29.2	47.5
014	BEEDEVILLE 4 NE	MAX	44.8	51.6	61.2	71.0	79.2	87.0	90.9	89.6	82.8	73.1	59.2	48.7	69.9
		MEAN	37.0	42.7	51.6	60.7	69.5	77.5	81.2	79.1	72.0	61.4	50.2	40.8	60.3
		MIN	29.2	33.7	42.0	50.4	59.7	67.9	71.5	68.5	61.2	49.7	41.1	32.8	50.6
015	BENTON	MAX	51.5	57.6	65.8	73.6	80.6	87.6	92.2	91.7	85.1	76.0	63.0	54.0	73.2
		MEAN	39.3	44.3	52.8	60.5	68.9	76.3	80.5	79.0	72.5	62.1	50.5	42.2	60.7
		MIN	27.0	31.0	39.8	47.4	57.1	65.0	68.8	66.3	59.9	48.1	38.0	30.3	48.2
016	BENTONVILLE 4 S	MAX	43.8	49.9	58.6	68.2	75.6	83.3	88.8	88.5	80.8	70.9	57.2	47.3	67.7
		MEAN	32.9	38.1	46.7	55.8	64.3	72.5	77.5	76.4	68.8	58.0	46.0	36.6	56.1
		MIN	22.0	26.2	34.8	43.3	52.9	61.6	66.1	64.3	56.8	45.0	34.7	25.9	44.5
021	BLAKELY MOUNTAIN DAM	MAX	49.8	55.8	64.1	73.2	80.0	88.0	93.0	92.3	84.8	74.4	61.7	52.5	72.5
		MEAN	38.3	42.8	50.7	58.8	67.0	75.0	79.5	78.3	71.5	60.2	49.5	41.1	59.4
		MIN	26.7	29.8	37.2	44.4	53.9	61.9	65.9	64.3	58.1	46.0	37.2	29.6	46.3
022	BLUE MOUNTAIN DAM	MAX	49.5	56.0	64.3	73.5	80.6	88.9	94.7	94.4	86.4	75.7	62.2	52.6	73.2
		MEAN	38.2	43.4	51.9	60.5	68.8	76.8	81.8	80.9	73.6	62.3	50.2	41.2	60.8
		MIN	26.8	30.7	39.5	47.4	56.9	64.6	68.9	67.4	60.7	48.9	38.2	29.8	48.3
024	BLYTHEVILLE	MAX	44.6	50.5	60.1	70.7	80.3	88.8	92.2	90.2	83.5	73.4	59.6	48.8	70.2
		MEAN	36.5	41.5	50.8	60.7	70.4	78.6	82.3	80.2	73.1	62.3	50.6	40.7	60.6
		MIN	28.3	32.5	41.5	50.7	60.4	68.3	72.3	70.2	62.6	51.2	41.6	32.5	51.0
026	BOONEVILLE 3 SSE	MAX	49.5	56.8	65.9	75.1	81.1	89.1	94.3	93.7	85.8	75.7	61.9	51.8	73.4
		MEAN	39.2	45.3	53.6	62.3	69.4	77.2	81.9	81.0	73.5	63.2	51.2	42.0	61.7
		MIN	28.8	33.7	41.3	49.5	57.6	65.2	69.4	68.2	61.1	50.7	40.4	32.1	49.8
027	BRINKLEY	MAX	46.3	52.6	61.4	70.8	79.1	87.0	90.7	89.6	83.5	74.1	60.6	50.5	70.5
		MEAN	37.7	42.9	51.4	60.3	69.3	77.3	81.1	79.3	72.6	61.8	50.5	41.7	60.5
		MIN	29.0	33.1	41.3	49.8	59.4	67.6	71.4	68.9	61.6	49.5	40.4	32.8	50.4
029	CABOT 4 SW	MAX	49.0	55.4	63.9	72.5	79.4	87.2	91.1	90.3	84.0	74.3	61.2	51.7	71.7
		MEAN	38.2	43.5	52.0	60.1	68.2	76.3	79.9	78.5	72.0	61.1	49.9	41.2	60.1
		MIN	27.4	31.6	40.1	47.6	57.0	65.4	68.7	66.6	59.9	47.8	38.5	30.7	48.4
030	CALICO ROCK 2 WSW	MAX	46.1	51.8	61.3	70.2	77.6	85.2	90.7	90.0	82.4	73.1	59.4	49.4	69.8
		MEAN	33.9	38.4	47.4	55.8	64.9	72.6	77.4	76.3	68.8	58.3	46.6	37.5	56.5
		MIN	21.7	24.9	33.5	41.4	52.1	59.9	64.0	62.6	55.1	43.5	33.7	25.6	43.2
031	CALION LOCK & DAM	MAX	52.6	58.9	67.2	74.8	81.9	88.0	92.1	91.8	86.1	76.2	64.2	55.7	74.1
		MEAN	41.9	46.9	54.6	62.3	70.9	77.5	81.9	80.8	74.4	63.0	52.4	44.7	62.6
		MIN	31.2	34.9	41.9	49.7	59.8	66.9	71.7	69.8	62.7	49.8	40.5	33.7	51.1
032	CAMDEN 1	MAX	52.9	59.0	67.3	75.4	81.8	88.8	92.5	92.3	85.7	76.3	64.7	55.7	74.4
		MEAN	41.7	46.6	54.6	62.4	70.3	77.9	81.6	80.7	73.8	63.0	52.5	44.6	62.5
		MIN	30.5	34.1	41.9	49.4	58.8	66.9	70.7	69.0	61.9	49.7	40.2	33.4	50.5
033	CLARENDON	MAX	46.7	53.1	62.1	71.4	80.2	87.7	91.6	90.4	84.1	75.1	61.3	50.7	71.2
		MEAN	37.4	42.5	51.7	60.4	69.5	77.4	81.3	79.4	72.4	61.7	50.5	41.2	60.5
		MIN	28.0	31.8	41.2	49.3	58.8	67.0	71.0	68.3	60.6	48.3	39.6	31.7	49.6
034	CLARKSVILLE	MAX	47.9	54.8	63.0	71.9	79.2	86.9	92.4	92.0	84.8	74.3	60.8	50.9	71.6
		MEAN	36.3	41.7	49.8	58.4	67.1	75.3	80.3	79.2	72.0	60.3	48.5	39.4	59.0
		MIN	24.6	28.5	36.6	44.9	54.9	63.7	68.1	66.4	59.1	46.2	36.2	27.8	46.4
037	CONWAY	MAX	48.5	54.7	64.2	72.4	79.6	87.5	92.4	92.0	84.7	74.8	60.9	51.3	71.9
		MEAN	38.3	43.6	52.9	61.0	69.7	77.6	82.1	81.0	73.7	62.6	50.3	41.5	61.2
		MIN	28.1	32.5	41.6	49.6	59.7	67.6	71.8	70.0	62.7	50.3	39.7	31.7	50.4
038	CORNING	MAX	42.6	49.4	59.4	70.3	78.8	86.9	91.0	89.2	82.2	72.3	57.7	46.5	68.9
		MEAN	34.0	39.7	49.6	59.7	68.6	76.8	80.8	78.6	71.1	60.3	48.1	38.1	58.8
		MIN	25.4	29.9	39.7	49.0	58.3	66.7	70.6	68.0	59.9	48.2	38.5	29.7	48.7
040	CROSSETT 2 SSE	MAX	53.1	58.9	67.1	74.8	82.0	88.8	92.1	92.1	86.3	76.9	64.9	56.0	74.4
		MEAN	41.3	46.0	53.7	61.0	69.1	76.5	80.2	79.4	73.1	62.0	52.0	44.1	61.5
		MIN	29.5	33.0	40.2	47.1	56.2	64.2	68.2	66.7	59.9	47.1	39.0	32.1	48.6




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 9

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
044	DARDANELLE	MAX	49.7	56.6	65.6	74.8	81.3	88.6	93.5	92.9	85.6	75.8	61.8	51.9	73.2
		MEAN	39.0	44.5	53.2	61.7	69.5	77.0	81.5	80.4	73.4	62.6	50.7	41.7	61.3
		MIN	28.3	32.4	40.7	48.5	57.6	65.3	69.4	67.9	61.1	49.4	39.6	31.5	49.3
045	DEER	MAX	40.4	46.4	54.4	62.9	69.9	77.3	82.4	82.4	75.1	65.5	53.1	43.6	62.8
		MEAN	31.1	36.3	44.1	52.9	61.3	69.2	74.4	73.8	66.5	56.3	44.0	34.8	53.7
		MIN	21.7	26.2	33.8	42.9	52.7	61.1	66.4	65.1	57.9	47.1	34.9	25.9	44.6
046	DEQUEEN	MAX	51.9	58.0	66.3	74.0	80.8	88.0	92.5	92.9	86.3	76.2	63.4	54.4	73.7
		MEAN	39.8	44.7	52.7	60.4	69.0	76.7	81.0	80.6	73.9	62.7	51.0	42.7	61.3
		MIN	27.7	31.4	39.0	46.7	57.2	65.4	69.4	68.2	61.5	49.2	38.5	31.0	48.8
047	DERMOTT 3 NE	MAX	51.0	56.9	65.4	74.2	82.7	90.0	93.3	92.3	86.8	77.3	64.3	54.4	74.1
		MEAN	41.3	46.2	54.4	62.5	71.5	79.1	82.3	80.7	74.4	63.6	53.2	44.6	62.8
		MIN	31.6	35.5	43.4	50.7	60.3	68.1	71.2	69.0	61.9	49.8	42.0	34.7	51.5
048	DES ARC	MAX	47.0	53.5	62.4	71.7	80.4	88.3	92.6	91.5	84.4	75.1	61.0	50.8	71.6
		MEAN	38.3	43.8	52.7	61.4	70.5	78.4	82.6	81.0	73.4	63.1	51.3	42.0	61.5
		MIN	29.6	34.1	42.9	51.1	60.5	68.4	72.5	70.4	62.4	51.1	41.6	33.1	51.5
050	DUMAS	MAX	51.2	57.8	66.7	75.5	82.9	89.8	92.7	91.6	85.5	75.9	63.2	54.0	73.9
		MEAN	42.2	47.6	55.9	64.0	72.2	79.3	82.3	80.8	74.5	64.2	53.5	45.1	63.5
		MIN	33.2	37.4	45.0	52.5	61.5	68.8	71.8	70.0	63.5	52.4	43.7	36.2	53.0
051	EL DORADO S AZ RGNL AP	MAX	54.3	60.3	68.8	76.4	82.8	89.3	92.7	92.5	86.7	77.1	65.3	56.9	75.3
		MEAN	43.6	48.3	56.4	63.7	71.5	78.4	82.0	81.2	75.1	64.4	53.8	46.1	63.7
		MIN	32.9	36.3	43.9	51.0	60.1	67.4	71.2	69.8	63.5	51.6	42.2	35.3	52.1
052	EUDORA	MAX	53.1	58.7	67.1	75.4	83.4	90.4	93.5	93.0	87.9	78.7	66.6	56.6	75.4
		MEAN	43.2	47.9	56.0	63.9	72.5	79.8	82.7	81.7	75.9	65.4	54.9	46.3	64.2
		MIN	33.2	37.0	44.8	52.3	61.6	69.1	71.9	70.3	63.8	52.0	43.2	35.9	52.9
053	EUREKA SPRINGS 3 WNW	MAX	45.5	51.8	61.6	71.7	77.7	84.8	90.2	89.9	81.3	71.6	58.2	48.5	69.4
		MEAN	35.6	41.0	50.0	59.5	66.5	74.0	79.1	78.2	70.4	60.6	48.6	38.9	58.5
		MIN	25.6	30.2	38.3	47.3	55.3	63.2	68.0	66.4	59.4	49.6	39.0	29.3	47.6
054	EVENING SHADE 1 NNE	MAX	47.2	53.6	62.8	72.1	80.0	88.0	93.5	92.6	85.1	75.3	60.9	50.4	71.8
		MEAN	34.3	39.5	48.7	57.5	66.5	74.8	79.8	78.4	70.7	59.5	47.3	38.0	57.9
		MIN	21.4	25.4	34.5	42.8	53.0	61.5	66.0	64.1	56.3	43.6	33.7	25.5	44.0
055	FAYETTEVILLE EXP STN	MAX	44.3	50.5	58.9	68.5	75.8	83.6	89.1	88.9	80.7	70.4	57.1	47.7	68.0
		MEAN	34.3	39.7	48.3	57.4	65.5	73.7	78.9	77.9	70.0	58.9	47.2	37.9	57.5
		MIN	24.2	28.8	37.6	46.2	55.1	63.8	68.6	66.8	59.2	47.3	37.3	28.1	46.9
056	FORDYCE	MAX	50.8	57.1	65.0	72.7	79.3	86.3	90.4	90.7	84.1	74.6	62.7	53.4	72.3
		MEAN	39.4	44.3	52.0	59.5	67.6	75.1	79.1	78.4	71.9	61.3	50.6	42.2	60.1
		MIN	27.9	31.5	39.0	46.3	55.8	63.8	67.8	66.1	59.7	48.0	38.4	31.0	47.9
058	FORT SMITH RGNL AP	MAX	48.1	54.8	64.2	73.2	80.0	87.7	92.9	92.6	84.9	75.0	61.4	50.9	72.1
		MEAN	38.0	43.7	52.6	61.1	69.5	77.5	82.2	81.5	73.9	62.8	50.5	41.0	61.2
		MIN	27.8	32.6	40.9	49.0	58.9	67.2	71.4	70.3	62.9	50.5	39.5	31.1	50.2
061	GILBERT	MAX	50.8	57.0	65.9	75.1	81.5	88.8	94.4	94.1	86.4	76.7	63.1	53.2	73.9
		MEAN	37.3	42.3	50.9	59.5	67.2	74.8	79.5	78.4	71.3	60.3	48.9	40.0	59.2
		MIN	23.7	27.6	35.9	43.8	52.8	60.8	64.6	62.7	56.1	43.8	34.6	26.7	44.4
064	GRAVETTE	MAX	46.4	53.1	62.5	72.0	78.8	86.6	92.5	92.1	84.0	73.3	59.3	49.6	70.9
		MEAN	35.3	41.0	49.9	58.9	66.4	74.2	79.1	78.1	70.6	60.1	48.0	38.6	58.4
		MIN	24.1	28.8	37.2	45.7	53.9	61.7	65.6	64.1	57.1	46.9	36.7	27.6	45.8
066	GREENBRIER	MAX	47.4	54.0	62.7	71.3	78.8	86.7	91.8	91.5	84.2	74.4	60.2	50.5	71.1
		MEAN	35.8	41.2	50.0	58.2	67.2	75.1	79.8	78.7	71.4	60.1	47.9	39.3	58.7
		MIN	24.2	28.3	37.2	45.0	55.5	63.4	67.7	65.9	58.6	45.8	35.5	28.0	46.3
068	GREERS FERRY DAM	MAX	45.6	52.0	60.7	70.2	77.4	85.4	90.9	90.5	83.2	72.9	59.3	49.0	69.8
		MEAN	35.9	41.0	49.7	58.6	66.7	75.1	80.1	79.0	71.9	60.7	49.1	39.5	58.9
		MIN	26.2	30.0	38.6	47.0	55.9	64.7	69.3	67.5	60.5	48.5	38.8	30.0	48.1
071	HARRISON BOONE CO AP	MAX	44.4	50.3	59.1	68.5	75.8	83.5	88.9	88.1	80.0	70.3	57.0	47.4	67.8
		MEAN	34.9	40.2	48.8	58.0	66.1	73.9	79.1	77.6	69.6	59.3	47.4	38.1	57.8
		MIN	25.4	30.1	38.5	47.5	56.3	64.3	69.2	67.0	59.1	48.3	37.8	28.8	47.7
072	HECTOR 2 SSW	MAX	48.6	56.0	64.2	73.9	80.8	88.5	93.3	92.4	85.0	75.1	62.0	51.9	72.6
		MEAN	37.4	43.2	51.0	59.5	67.1	74.9	79.7	78.4	71.6	60.6	49.4	40.5	59.4
		MIN	26.2	30.3	37.7	45.0	53.4	61.3	66.0	64.4	58.1	46.1	36.8	29.1	46.2
073	HELENA	MAX	48.9	54.5	63.9	73.6	82.0	89.8	93.0	91.6	85.6	76.2	63.2	53.1	73.0
		MEAN	39.4	44.2	53.2	62.2	71.0	78.8	82.5	80.8	74.3	63.6	52.2	43.1	62.1
		MIN	29.8	33.9	42.5	50.7	60.0	67.8	71.9	70.0	63.0	51.0	41.2	33.1	51.2
074	HOPE 3 NE	MAX	51.5	57.5	65.7	73.9	80.7	87.9	92.2	92.2	85.4	75.8	63.4	54.4	73.4
		MEAN	40.6	45.4	53.1	61.0	69.2	76.8	80.8	80.1	73.3	62.6	51.6	43.4	61.5
		MIN	29.7	33.2	40.5	48.0	57.7	65.6	69.4	67.9	61.2	49.3	39.7	32.4	49.6
077	HOT SPRINGS 1 NNE	MAX	50.7	57.0	65.5	74.2	81.2	88.8	94.3	93.9	86.5	76.0	62.5	53.1	73.6
		MEAN	40.2	45.1	53.3	61.6	69.6	77.3	82.2	81.1	74.0	63.2	51.4	42.8	61.8
		MIN	29.6	33.2	41.1	48.9	57.9	65.8	70.1	68.3	61.5	50.4	40.2	32.4	50.0
078	HUNTSVILLE 1 SSW	MAX	45.2	50.8	59.9	68.9	75.3	82.8	88.4	88.0	79.9	70.5	57.6	48.1	68.0
		MEAN	35.8	40.8	49.3	58.2	65.3	73.1	78.1	77.2	70.0	60.2	48.3	38.8	57.9
		MIN	26.3	30.7	38.7	47.4	55.3	63.4	67.7	66.4	60.0	49.8	38.9	29.5	47.8




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 10

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
081	JONESBORO 4 N	MAX	45.3	51.2	61.0	70.9	79.6	87.9	92.3	90.8	83.9	74.2	59.8	49.2	70.5
		MEAN	35.6	40.8	50.3	60.0	69.0	77.4	81.6	79.8	72.3	61.5	49.3	39.8	59.8
		MIN	25.8	30.4	39.5	49.0	58.3	66.8	70.9	68.7	60.6	48.7	38.8	30.4	49.0
082	KEISER	MAX	44.9	50.9	60.5	70.8	80.1	88.7	91.9	89.8	83.6	73.9	60.0	49.3	70.4
		MEAN	36.3	41.4	50.7	60.0	69.4	78.0	81.3	78.8	71.9	61.0	49.9	40.3	59.9
		MIN	27.6	31.9	40.8	49.1	58.7	67.2	70.7	67.8	60.1	48.1	39.8	31.3	49.4
084	KEO	MAX	49.1	55.6	64.4	73.6	81.1	88.2	91.3	89.9	83.8	74.9	61.8	52.5	72.2
		MEAN	40.6	46.0	54.3	62.9	71.2	78.5	81.6	80.0	73.6	63.7	52.6	44.0	62.4
		MIN	32.0	36.4	44.1	52.2	61.2	68.7	71.9	70.0	63.4	52.5	43.4	35.4	52.6
088	LEAD HILL	MAX	45.3	51.5	61.6	70.7	78.2	86.1	92.2	91.3	83.1	73.2	59.3	48.9	70.1
		MEAN	32.9	37.9	47.3	56.2	65.6	73.7	79.3	77.8	69.6	58.9	46.5	37.0	56.9
		MIN	20.5	24.2	33.0	41.6	53.0	61.3	66.3	64.3	56.0	44.5	33.6	25.0	43.6
089	LEOLA	MAX	51.9	58.9	67.0	75.4	81.7	88.4	92.3	91.8	85.4	75.7	63.4	54.9	73.9
		MEAN	41.2	46.7	54.5	62.4	69.9	77.1	81.0	79.8	73.4	62.3	51.7	44.1	62.0
		MIN	30.5	34.4	41.9	49.3	58.1	65.7	69.7	67.8	61.4	48.9	40.0	33.3	50.1
090	LITTLE ROCK ADAMS AP	MAX	49.5	55.6	64.2	72.9	81.0	89.0	92.8	92.1	85.1	75.1	62.0	52.5	72.7
		MEAN	40.1	45.2	53.4	61.4	70.1	78.4	82.4	81.3	74.4	63.3	51.7	43.2	62.1
		MIN	30.8	34.8	42.6	50.0	59.2	67.8	72.0	70.5	63.6	51.5	41.5	33.9	51.5
092	MAGNOLIA	MAX	52.9	59.2	67.4	74.1	81.0	87.6	91.6	91.8	85.3	76.0	64.0	55.7	73.9
		MEAN	41.8	46.7	54.7	61.7	70.1	76.9	80.6	79.8	73.6	63.2	52.2	44.6	62.2
		MIN	30.6	34.1	42.0	49.2	59.1	66.2	69.6	67.8	61.9	50.3	40.3	33.4	50.4
093	MALVERN	MAX	52.4	59.2	67.8	76.1	82.1	88.8	93.0	91.9	85.2	75.6	63.5	54.7	74.2
		MEAN	41.1	46.3	54.4	62.1	69.7	76.8	80.7	79.5	73.3	62.5	51.9	43.7	61.8
		MIN	29.7	33.3	40.9	48.1	57.2	64.7	68.3	67.0	61.3	49.4	40.2	32.7	49.4
094	MAMMOTH SPRING	MAX	44.7	51.3	61.1	70.6	78.0	85.3	90.5	89.1	81.6	72.1	58.3	47.8	69.2
		MEAN	33.2	38.5	48.2	57.2	65.6	73.4	78.1	76.6	69.1	58.2	46.2	36.6	56.7
		MIN	21.6	25.7	35.3	43.7	53.2	61.5	65.6	64.0	56.5	44.2	34.1	25.4	44.2
095	MARIANNA 2 S	MAX	47.1	53.1	61.9	71.3	80.2	88.0	91.5	90.2	84.3	74.7	60.8	51.0	71.2
		MEAN	37.8	43.0	51.7	60.5	69.9	77.8	81.1	79.3	72.8	62.3	50.6	41.7	60.7
		MIN	28.5	32.9	41.5	49.6	59.6	67.5	70.7	68.3	61.3	49.8	40.4	32.3	50.2
096	MARSHALL	MAX	44.9	51.3	60.2	69.6	77.1	84.7	90.4	89.5	81.7	71.7	59.0	48.9	69.1
		MEAN	35.3	40.8	49.7	58.2	66.3	74.3	79.6	78.3	70.7	60.1	49.0	39.3	58.5
		MIN	25.7	30.2	39.2	46.7	55.5	63.9	68.8	67.0	59.6	48.5	38.9	29.6	47.8
099	MENA	MAX	48.7	54.5	62.3	70.6	77.3	84.7	89.7	89.5	82.5	72.9	60.1	51.0	70.3
		MEAN	37.9	42.5	50.4	58.4	66.6	74.2	78.6	77.7	71.0	60.7	49.1	40.5	59.0
		MIN	27.0	30.5	38.4	46.1	55.8	63.7	67.4	65.9	59.4	48.4	38.0	29.9	47.5
100	MONTICELLO 3 SW	MAX	52.0	57.8	66.0	74.0	81.7	88.8	92.5	92.2	86.4	76.5	64.4	55.4	74.0
		MEAN	41.2	46.0	54.3	61.7	70.2	77.6	81.1	80.1	74.1	63.2	52.9	44.6	62.3
		MIN	30.4	34.2	42.6	49.4	58.6	66.3	69.7	68.0	61.8	49.9	41.4	33.7	50.5
101	MORRILTON	MAX	48.0	54.4	63.0	71.9	79.6	87.3	92.7	92.1	85.1	75.1	60.9	50.8	71.7
		MEAN	37.3	42.3	50.7	59.1	68.0	76.0	80.8	79.1	72.2	61.3	49.3	40.3	59.7
		MIN	26.5	30.1	38.4	46.2	56.3	64.7	68.9	66.1	59.3	47.5	37.6	29.7	47.6
102	MOUNT IDA 3 SE	MAX	48.7	54.5	62.4	71.0	77.2	84.4	89.7	89.7	82.4	72.6	60.8	51.4	70.4
		MEAN	37.1	41.7	49.9	58.0	66.1	73.8	78.5	77.4	70.1	58.7	48.3	39.8	58.3
		MIN	25.4	28.8	37.3	45.0	54.9	63.2	67.3	65.0	57.7	44.8	35.7	28.1	46.1
103	MOUNTAINBURG 2 NE	MAX	51.1	57.9	66.8	75.8	81.9	88.6	93.8	94.3	86.7	76.6	62.8	53.3	74.1
		MEAN	38.6	44.1	52.7	61.3	68.2	75.5	79.8	79.0	72.5	61.6	50.1	41.1	60.4
		MIN	26.1	30.3	38.6	46.7	54.4	62.3	65.8	63.7	58.3	46.5	37.4	28.8	46.6
104	MOUNTAIN HOME 1 NNW	MAX	43.7	50.1	59.6	69.1	76.6	84.3	90.0	89.3	81.2	71.5	57.1	46.7	68.3
		MEAN	33.5	38.9	48.2	57.3	65.7	73.6	78.7	77.6	69.8	59.2	46.7	36.9	57.2
		MIN	23.3	27.6	36.7	45.4	54.7	62.8	67.4	65.8	58.4	46.8	36.3	27.0	46.0
105	MOUNTAIN VIEW	MAX	46.3	52.7	61.3	71.3	78.5	86.5	91.7	91.0	83.6	73.7	60.2	49.7	70.5
		MEAN	35.7	41.0	49.4	58.6	66.6	74.9	79.8	78.4	71.0	60.3	49.2	39.5	58.7
		MIN	25.1	29.3	37.4	45.8	54.6	63.2	67.9	65.8	58.3	46.8	38.2	29.3	46.8
106	MURFREESBORO 5 SW	MAX	49.8	56.1	64.4	72.5	79.2	86.5	91.1	91.1	84.4	74.3	61.7	53.0	72.0
		MEAN	38.5	43.4	51.4	59.3	67.8	75.3	79.6	78.9	72.5	61.6	49.9	41.7	60.0
		MIN	27.1	30.7	38.4	46.0	56.4	64.1	68.0	66.7	60.6	48.8	38.1	30.3	47.9
107	NASHVILLE	MAX	51.1	56.9	64.8	73.1	80.1	87.4	91.9	92.1	85.3	75.4	62.9	53.9	72.9
		MEAN	40.5	45.2	53.0	60.8	69.2	76.9	81.0	80.6	74.0	63.1	51.8	43.4	61.6
		MIN	29.8	33.4	41.1	48.5	58.3	66.3	70.1	69.0	62.7	50.8	40.7	32.9	50.3
110	NEWPORT	MAX	45.6	52.2	61.5	71.4	79.8	87.9	92.2	90.9	84.1	73.9	60.0	49.4	70.7
		MEAN	36.8	42.3	51.6	61.0	69.8	78.0	82.1	80.3	73.2	62.2	50.8	41.0	60.8
		MIN	28.0	32.4	41.6	50.5	59.8	68.0	72.0	69.6	62.2	50.4	41.6	32.6	50.7
111	NIMROD DAM	MAX	48.1	54.5	63.0	72.2	79.1	86.6	92.0	91.5	83.6	73.8	61.0	51.1	71.4
		MEAN	37.4	42.4	50.9	59.6	67.9	75.9	80.7	79.4	71.9	61.0	49.5	40.6	59.8
		MIN	26.7	30.3	38.7	46.9	56.6	65.1	69.4	67.3	60.2	48.2	37.9	30.1	48.1
112	NORTH LITTLE ROCK AP	MAX	49.1	55.1	64.1	73.2	80.5	88.6	93.5	92.6	85.0	74.8	61.6	51.9	72.5
		MEAN	40.2	45.6	54.3	63.0	70.9	78.8	83.2	82.1	75.0	64.5	52.5	43.4	62.8
		MIN	31.3	36.1	44.5	52.7	61.2	68.9	72.9	71.5	64.9	54.1	43.4	34.9	53.0




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 11

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
115	OKAY	MAX	53.6	60.0	68.1	75.7	82.1	88.9	92.9	92.9	86.4	77.1	65.1	56.2	74.9
		MEAN	43.3	48.7	56.5	64.0	71.5	78.5	82.6	81.9	75.1	65.0	54.2	46.0	63.9
		MIN	33.0	37.4	44.9	52.3	60.9	68.1	72.2	70.8	63.8	52.9	43.3	35.7	52.9
118	OZARK	MAX	48.1	54.7	63.1	71.7	79.3	87.0	92.4	92.1	84.9	74.6	60.7	50.9	71.6
		MEAN	36.7	42.2	50.4	59.0	67.7	75.9	80.6	79.6	72.9	61.3	49.2	39.8	59.6
		MIN	25.3	29.7	37.7	46.3	56.1	64.7	68.7	67.1	60.8	48.0	37.7	28.7	47.6
120	PARAGOULD 1 S	MAX	43.3	49.6	59.3	69.2	78.0	86.3	90.1	88.6	82.2	72.6	57.7	47.6	68.7
		MEAN	34.7	39.9	49.8	59.4	68.5	76.7	80.6	78.8	71.9	60.9	48.2	39.1	59.0
		MIN	26.0	30.2	40.2	49.6	59.0	67.1	71.1	69.0	61.6	49.2	38.6	30.6	49.4
123	PINE BLUFF	MAX	50.1	56.4	64.8	73.9	81.4	88.6	92.4	91.5	85.3	75.8	63.1	53.7	73.1
		MEAN	40.8	46.0	54.3	62.6	71.0	78.6	82.4	81.1	74.5	63.9	52.5	44.1	62.7
		MIN	31.5	35.6	43.7	51.3	60.5	68.6	72.3	70.6	63.6	52.0	41.9	34.4	52.2
126	POCAHONTAS 1	MAX	44.0	50.4	60.4	70.5	79.1	87.1	91.6	89.6	82.2	72.4	58.1	47.6	69.4
		MEAN	34.2	39.5	49.1	58.4	67.7	76.1	80.5	78.4	70.8	59.9	47.6	38.1	58.4
		MIN	24.4	28.5	37.7	46.3	56.3	65.1	69.4	67.2	59.3	47.4	37.1	28.5	47.3
127	PORTLAND	MAX	52.4	58.2	66.4	74.5	82.6	89.5	92.5	92.1	86.6	77.6	65.3	55.9	74.5
		MEAN	41.4	46.1	54.4	62.4	71.6	78.9	81.9	80.7	74.5	64.1	53.2	44.9	62.8
		MIN	30.4	34.0	42.4	50.3	60.5	68.2	71.2	69.3	62.3	50.6	41.0	33.8	51.2
128	PRESCOTT	MAX	51.4	58.3	66.9	74.7	81.5	88.3	92.3	92.2	85.4	75.8	62.5	53.9	73.6
		MEAN	40.7	46.0	54.3	62.1	70.4	77.6	81.4	80.6	74.0	63.6	51.4	43.5	62.1
		MIN	29.9	33.7	41.6	49.4	59.2	66.8	70.4	69.0	62.6	51.3	40.3	33.0	50.6
130	ROHWER 2 NNE	MAX	50.1	56.1	64.5	73.3	81.6	89.1	92.2	91.2	85.7	76.2	63.5	53.9	73.1
		MEAN	40.8	45.7	53.8	62.2	71.1	78.7	81.7	80.1	73.8	63.1	52.7	44.1	62.3
		MIN	31.4	35.3	43.0	51.0	60.6	68.2	71.2	68.9	61.9	50.0	41.9	34.3	51.5
131	SAINT CHARLES	MAX	49.2	55.1	63.9	72.8	80.5	88.3	92.4	91.6	85.5	75.8	63.0	52.7	72.6
		MEAN	39.8	44.7	53.3	61.6	69.9	78.0	81.8	80.4	73.9	63.1	52.1	43.1	61.8
		MIN	30.3	34.3	42.7	50.3	59.3	67.6	71.1	69.2	62.3	50.3	41.2	33.4	51.0
135	SEARCY	MAX	48.5	54.8	63.7	72.7	80.9	88.7	93.3	92.2	85.2	75.5	61.1	51.5	72.3
		MEAN	36.9	42.0	50.9	59.3	68.6	76.6	80.9	79.2	71.8	60.6	48.8	40.2	59.7
		MIN	25.3	29.2	38.0	45.9	56.3	64.4	68.4	66.1	58.3	45.7	36.4	28.9	46.9
136	SHERIDAN	MAX	50.3	57.2	66.0	74.4	81.4	88.5	92.7	92.0	85.5	75.9	62.6	53.5	73.3
		MEAN	39.0	44.3	52.8	60.7	69.3	76.8	81.0	79.7	73.0	61.8	50.4	42.3	60.9
		MIN	27.7	31.3	39.6	46.9	57.1	65.0	69.2	67.3	60.5	47.6	38.1	31.0	48.4
138	SILOAM SPRINGS	MAX	44.7	50.7	59.3	68.5	75.9	83.6	89.3	88.9	80.7	70.5	57.4	48.0	68.1
		MEAN	34.0	39.2	47.5	56.3	64.6	73.0	78.3	77.5	69.7	58.7	46.9	37.7	57.0
		MIN	23.3	27.6	35.7	44.1	53.3	62.4	67.3	66.0	58.7	46.8	36.3	27.3	45.7
139	SPARKMAN	MAX	51.8	58.2	66.8	75.1	81.6	89.0	93.5	92.7	85.4	75.3	64.2	54.4	74.0
		MEAN	40.5	45.4	53.3	61.3	69.5	77.1	81.6	80.3	73.2	61.7	51.9	43.4	61.6
		MIN	29.1	32.5	39.7	47.4	57.3	65.2	69.7	67.9	60.9	48.1	39.5	32.4	49.1
140	STAMPS	MAX	53.9	60.0	67.8	75.5	82.5	89.1	93.4	93.4	86.9	77.0	65.0	56.5	75.1
		MEAN	42.8	47.9	55.6	62.8	70.8	77.8	81.6	81.1	74.6	64.0	53.2	45.4	63.1
		MIN	31.7	35.7	43.3	50.1	59.0	66.5	69.7	68.7	62.3	50.9	41.4	34.2	51.1
142	STUTTGART 9 ESE	MAX	48.6	54.3	63.0	72.2	80.6	88.6	92.6	91.8	86.0	76.4	63.1	52.8	72.5
		MEAN	39.6	44.5	53.0	61.6	70.8	78.8	82.4	80.8	74.3	63.6	52.5	43.4	62.1
		MIN	30.6	34.7	43.0	51.0	61.0	69.0	72.1	69.8	62.5	50.7	41.8	33.9	51.7
143	SUBIACO	MAX	47.7	54.5	63.5	72.4	79.0	86.7	91.6	90.9	83.3	73.2	60.0	50.2	71.1
		MEAN	38.4	43.9	52.4	60.9	68.5	76.1	80.6	79.6	72.6	62.1	50.3	41.2	60.6
		MIN	29.0	33.2	41.3	49.3	57.9	65.4	69.6	68.2	61.8	50.9	40.6	32.2	50.0
145	TEXARKANA WEBB FIELD	MAX	53.0	59.7	67.8	75.0	82.0	89.1	92.7	93.0	86.3	76.8	64.3	55.9	74.6
		MEAN	44.3	49.6	57.0	64.3	72.1	79.2	82.7	82.3	75.9	65.9	54.7	46.9	64.6
		MIN	35.6	39.4	46.1	53.5	62.1	69.2	72.6	71.6	65.4	54.9	45.0	37.8	54.4
146	WALDRON	MAX	50.6	56.8	65.4	74.2	80.4	87.4	92.4	91.9	84.6	74.8	61.7	52.7	72.7
		MEAN	39.5	44.5	52.9	61.2	68.7	76.2	80.4	79.4	72.3	61.8	50.3	42.0	60.8
		MIN	28.4	32.2	40.4	48.1	57.0	64.9	68.4	66.9	60.0	48.7	38.9	31.3	48.8
147	WARREN 2 WSW	MAX	50.8	56.5	65.0	73.0	80.0	87.3	91.7	91.6	85.2	75.3	63.2	53.9	72.8
		MEAN	40.8	45.5	53.4	61.1	69.4	77.0	81.1	80.2	73.8	62.9	52.3	44.0	61.8
		MIN	30.8	34.4	41.7	49.1	58.7	66.7	70.5	68.8	62.3	50.4	41.4	34.0	50.7
149	WEST MEMPHIS	MAX	46.4	52.4	61.6	71.0	79.6	87.3	90.9	89.6	83.6	74.5	60.4	50.8	70.7
		MEAN	37.5	42.5	51.7	60.6	69.7	77.7	81.5	79.6	73.1	62.7	50.7	42.1	60.8
		MIN	28.5	32.6	41.7	50.1	59.7	68.1	72.0	69.6	62.6	50.8	41.0	33.3	50.8
150	WYNNE	MAX	45.1	51.2	60.5	69.6	78.9	87.3	90.6	89.0	82.7	73.9	59.1	49.4	69.8
		MEAN	36.1	41.1	50.3	58.9	68.8	77.1	80.7	78.4	71.4	61.5	49.1	40.4	59.5
		MIN	27.0	31.0	40.0	48.1	58.6	66.9	70.7	67.7	60.1	49.0	39.1	31.4	49.1




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 12

No.	Station Name	PRECIPITATION NORMALS (Total in Inches)												
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ABBOTT	2.67	2.88	4.05	4.50	5.77	4.16	3.43	2.78	4.00	3.87	4.91	3.70	46.72
002	ALICIA	3.26	3.26	4.53	4.54	4.60	3.21	2.97	2.91	3.42	3.61	4.89	4.40	45.60
003	ALUM FORK	3.65	3.93	5.35	5.45	5.65	4.64	3.60	2.94	3.77	4.85	6.07	5.25	55.15
004	AMITY 2 N	3.90	4.21	5.46	5.09	6.33	5.09	4.82	2.75	4.43	5.10	6.61	5.62	59.41
005	ANTOINE	3.68	3.69	5.22	4.80	5.25	4.53	4.18	2.72	3.92	4.64	5.91	5.13	53.67
006	ARKADELPHIA 2 N	3.99	3.63	4.99	4.75	5.95	4.33	4.03	2.81	3.57	4.68	5.94	4.94	53.61
007	ARKANSAS CITY	5.31	4.92	5.53	5.14	5.18	4.12	3.57	2.33	2.96	3.56	5.57	5.48	53.67
008	ARKANSAS POST	4.73	4.46	5.68	4.83	5.00	3.83	3.40	2.62	3.14	3.81	5.15	5.17	51.82
009	ASHDOWN 4 SSE	3.59	3.56	4.99	4.33	5.02	4.46	3.79	2.49	3.98	4.25	5.87	4.98	51.31
010	ATHENS	3.63	4.07	6.09	5.41	6.65	5.44	4.49	2.93	5.31	5.39	6.35	5.95	61.71
011	AUGUSTA 2 NW	3.53	3.46	5.22	5.21	4.97	4.32	3.36	2.86	3.40	3.64	5.30	4.85	50.12
012	BATESVILLE LIVESTOCK	3.01	3.29	4.57	4.42	4.79	3.37	3.14	3.09	3.69	3.89	5.33	4.02	46.61
013	BATESVILLE L&D 1	3.26	3.30	4.54	4.76	4.88	3.50	3.13	3.08	3.58	4.00	5.48	4.51	48.02
014	BEDEVILLE 4 NE	3.73	3.45	4.90	4.95	4.98	3.97	2.60	2.21	3.75	3.62	5.36	4.74	48.26
015	BENTON	3.70	3.27	4.94	5.35	5.00	4.25	4.19	2.73	4.38	4.41	6.06	4.97	53.25
016	BENTONVILLE 4 S	2.23	2.52	4.42	4.17	5.23	5.19	3.17	3.35	4.74	3.59	4.81	3.50	46.92
017	BERRYVILLE 5 NW	2.23	2.55	4.22	4.28	5.05	4.79	3.45	3.69	4.17	3.40	4.52	3.29	45.64
018	BIG FORK 1 SSE	3.75	4.18	5.97	5.92	6.51	5.59	4.93	2.99	5.02	5.48	6.20	6.11	62.65
019	BISMARCK 2 SE	3.56	3.51	5.12	5.27	5.50	4.50	4.30	2.51	4.31	4.57	5.92	4.67	53.74
020	BLACK ROCK	3.76	3.83	5.16	4.77	5.03	3.25	3.67	2.95	3.58	4.02	5.68	4.83	50.53
021	BLAKELY MOUNTAIN DAM	3.55	3.97	5.27	5.44	5.90	4.74	4.40	2.95	3.87	4.99	6.63	5.17	56.88
022	BLUE MOUNTAIN DAM	2.96	3.06	4.56	4.09	5.56	3.84	3.31	2.58	3.71	3.92	5.10	4.33	47.02
023	BLUFF CITY 3 SW	4.18	3.86	4.69	4.58	5.09	4.68	3.72	2.88	3.77	4.47	5.01	5.39	52.32
024	BLYTHEVILLE	3.41	3.91	4.92	5.25	5.22	4.49	3.95	2.85	3.19	3.58	4.82	4.73	50.32
025	BONNERDALE 4 SW	3.24	3.78	5.20	5.00	5.96	5.10	4.47	2.93	4.73	4.79	6.70	4.66	56.56
026	BOONEVILLE 3 SSE	3.24	3.08	4.06	4.32	5.73	4.22	3.51	2.34	4.04	3.90	5.08	4.27	47.79
027	BRINKLEY	3.84	3.84	4.77	5.19	5.70	4.07	3.15	2.52	3.02	3.58	4.76	4.51	48.95
028	BUFFALO TOWER	2.68	2.82	4.86	4.86	5.89	4.20	3.00	3.54	4.80	3.87	5.51	4.05	50.08
029	CABOT 4 SW	3.52	3.43	5.04	4.99	5.25	3.94	3.23	2.98	3.35	4.05	6.12	4.66	50.56
030	CALICO ROCK 2 WSW	2.73	3.08	4.62	4.36	4.83	3.75	3.07	2.93	4.08	3.61	4.93	4.00	45.99
031	CALION LOCK & DAM	4.57	4.00	5.10	4.73	4.53	4.41	2.86	2.58	3.16	3.66	4.08	5.07	48.75
032	CAMDEN 1	4.55	4.15	5.12	4.63	4.71	4.74	3.90	2.92	3.60	4.42	5.23	5.08	53.05
033	CLARENDRON	3.80	3.60	5.30	5.12	5.12	3.93	3.51	2.35	3.40	3.71	5.08	4.91	49.83
034	CLARKSVILLE	2.74	2.96	4.50	4.48	5.21	4.16	2.90	2.58	3.88	4.13	5.08	4.46	47.08
035	CLARKSVILLE 6 NE	2.95	3.07	4.80	4.54	5.91	4.38	3.69	3.00	3.66	4.07	5.53	4.18	49.78
036	CLINTON	3.20	3.69	5.22	4.97	5.45	3.93	3.11	3.22	4.08	4.56	5.71	4.73	51.87
037	CONWAY	3.19	3.45	4.56	5.00	4.62	4.48	2.93	2.67	3.71	4.03	5.24	4.79	48.67
038	CORNING	3.35	3.61	4.96	4.45	4.87	3.51	3.55	3.22	3.61	3.43	5.09	4.40	48.05
039	COVE	3.40	3.53	5.14	5.10	6.56	4.74	4.48	2.45	5.10	5.57	5.70	5.10	56.87
040	CROSSETT 2 SSE	5.81	5.27	5.95	5.61	5.82	4.60	4.04	3.16	3.26	4.19	4.96	5.38	58.05
041	CRYSTAL VALLEY	3.72	3.80	5.24	5.64	5.06	4.20	3.68	2.86	4.30	4.69	6.24	5.04	54.47
042	DAMASCUS 3 NNE	3.19	3.59	4.96	4.94	5.04	4.48	2.97	3.19	4.14	4.07	5.76	4.87	51.20
043	DANVILLE	2.92	3.06	4.93	4.44	5.56	4.34	3.09	2.63	3.71	4.51	5.35	5.01	49.55
044	DARDANELLE	3.15	3.19	4.60	4.24	5.67	4.26	3.31	2.76	3.56	4.19	5.36	4.30	48.59
045	DEER	3.18	3.29	5.31	4.92	6.44	4.94	3.45	3.35	4.41	4.24	6.38	4.58	54.49
046	DEQUEEN	3.58	3.66	5.17	4.85	6.15	4.65	4.07	2.32	4.47	5.20	5.74	5.25	55.11
047	DERMOTT 3 NE	5.24	4.98	5.46	5.05	4.97	4.25	3.90	2.52	2.93	3.87	5.18	5.72	54.07
048	DES ARC	3.61	3.90	5.07	5.83	4.79	3.90	3.10	2.33	3.23	3.75	5.30	4.63	49.44
049	DIERKS	3.52	3.92	5.41	4.78	5.50	4.93	4.08	2.32	4.41	5.14	5.72	5.27	55.00
050	DUMAS	4.86	4.35	5.40	5.00	4.53	3.66	3.79	2.94	3.46	4.16	5.15	4.84	52.14
051	EL DORADO S AZ RGNL AP	4.93	4.24	5.15	4.55	5.49	5.18	4.13	3.22	3.29	4.33	4.80	4.80	54.11
052	EUDORA	5.65	5.09	5.98	6.15	5.43	4.10	3.57	2.88	2.71	3.93	5.36	5.68	56.53
053	EUREKA SPRINGS 3 WNW	2.40	2.78	4.54	4.27	4.89	4.55	3.64	3.32	4.44	3.46	4.66	3.42	46.37
054	EVENING SHADE 1 NNE	3.26	3.41	4.65	4.57	4.84	3.52	3.39	3.35	3.67	3.95	5.42	4.38	48.41
055	FAYETTEVILLE EXP STN	2.14	2.41	4.17	4.33	5.06	5.26	3.14	3.00	4.83	3.74	4.74	3.20	46.02
056	FORDYCE	4.54	4.21	5.46	4.54	4.82	4.25	3.97	2.73	3.22	4.60	5.44	5.52	53.30
057	FOREMAN	3.48	3.21	4.75	4.06	4.36	4.44	3.53	2.59	3.22	4.94	6.11	4.55	49.24
058	FORT SMITH RGNL AP	2.37	2.59	3.94	3.91	5.29	4.28	3.19	2.56	3.61	3.94	4.80	3.39	43.87
059	FULTON	4.12	3.55	5.52	4.10	5.19	4.26	2.82	2.40	3.65	5.99	5.04	5.30	51.94
060	GEOGETOWN	3.50	3.67	5.52	5.77	4.97	3.88	3.15	2.75	3.63	3.95	5.50	4.99	51.28
061	GILBERT	2.67	3.00	4.10	4.05	5.19	4.16	2.62	2.81	3.73	3.39	5.18	3.88	44.78
062	GLENWOOD	3.78	4.18	5.54	5.28	6.06	4.75	4.22	2.59	4.65	5.05	6.50	5.48	58.08
063	GRAVELLY 1 ESE	3.22	3.30	4.90	4.53	5.70	4.93	3.60	3.01	4.01	4.60	5.30	4.96	52.06
064	GRAVETTE	2.25	2.47	4.22	4.44	5.38	5.09	3.18	3.18	4.86	3.81	4.81	3.46	47.15
065	GREEN FOREST	2.47	2.59	4.18	4.01	4.86	5.00	3.24	3.47	4.00	3.13	4.93	3.18	45.06
066	GREENBRIER	3.12	3.29	4.80	4.97	4.84	4.21	3.03	2.41	3.74	4.13	5.36	4.48	48.38
067	GREENWOOD	3.00	2.97	4.53	4.18	5.82	4.36	3.17	2.37	4.25	4.00	5.19	3.97	47.81
068	GREERS FERRY DAM	3.30	3.59	5.05	5.02	5.00	3.87	3.42	2.90	4.10	4.21	5.92	4.68	51.06
069	GURDON	3.98	3.48	4.32	5.21	5.07	4.51	3.77	3.20	3.85	4.04	5.43	4.94	51.80




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 13


No.	Station Name	PRECIPITATION NORMALS (Total in Inches)												
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	HAMBURG	5.18	4.99	5.87	5.36	4.94	4.88	3.65	3.27	2.94	4.20	5.10	5.21	55.59
071	HARRISON BOONE CO AP	2.51	2.71	4.29	4.09	5.01	4.34	2.72	3.41	4.03	3.50	4.96	3.63	45.20
072	HECTOR 2 SSW	2.68	3.65	4.15	4.21	4.81	4.25	2.19	2.88	4.06	4.34	4.61	4.07	45.90
073	HELENA	4.60	4.08	5.35	5.36	5.67	4.76	3.74	2.74	3.16	3.69	5.51	5.39	54.05
074	HOPE 3 NE	4.17	3.97	4.98	4.89	4.90	4.74	3.78	3.51	4.06	4.54	5.91	5.06	54.51
075	HOPPER 1 E	3.91	4.20	5.73	5.16	5.90	4.91	4.44	2.90	4.44	5.08	5.67	5.27	57.61
076	HORATIO	3.50	3.95	5.10	4.81	5.74	4.57	4.44	1.96	4.52	5.31	5.51	5.12	54.53
077	HOT SPRINGS 1 NNE	3.70	3.92	5.32	5.31	6.41	5.02	4.18	3.08	4.05	5.21	6.29	5.20	57.69
078	HUNTSVILLE 1 SSW	2.46	2.65	4.88	4.88	4.88	4.45	2.55	3.72	3.93	3.79	5.42	3.50	47.11
079	JASPER	2.76	2.80	4.64	4.11	5.86	4.07	3.32	3.29	3.93	3.48	5.09	3.76	47.11
080	JESSIEVILLE	3.38	3.85	5.64	5.43	5.75	4.92	3.86	3.22	4.17	5.02	6.51	5.22	56.97
081	JONESBORO 4 N	3.29	3.56	4.45	4.99	4.92	3.29	2.73	2.67	3.12	3.89	5.02	4.25	46.18
082	KEISER	3.69	3.78	4.87	4.90	5.57	4.06	3.56	2.67	3.65	3.38	4.84	4.55	49.52
083	KELSO 3 NW	4.12	3.63	5.13	4.46	4.94	2.53	3.03	1.51	2.01	2.81	4.15	3.83	42.15
084	KEO	3.54	3.44	4.67	5.09	4.77	3.87	3.49	1.95	3.13	3.95	4.97	4.72	47.59
085	LAKE CITY	3.40	3.43	4.48	5.47	4.75	3.48	2.92	2.76	3.54	3.66	4.95	4.88	47.72
086	LAKE MAUMELLE	3.32	3.52	4.82	4.87	5.05	3.55	3.06	2.33	3.24	4.04	5.33	4.54	47.67
087	LANGLEY	3.74	4.02	6.25	5.27	6.27	5.44	4.50	3.22	4.86	5.17	6.25	5.96	60.95
088	LEAD HILL	2.49	2.86	4.34	4.13	4.80	4.37	3.00	2.88	3.92	3.22	4.73	3.54	44.28
089	LEOLA	4.38	3.92	5.05	4.78	5.53	4.22	4.12	3.09	3.65	4.42	5.27	5.40	53.83
090	LITTLE ROCK ADAMS AP	3.61	3.33	4.88	5.47	5.05	3.95	3.31	2.93	3.71	4.25	5.73	4.71	50.93
091	MADISON 1 NW	3.83	3.92	5.16	5.45	5.51	3.78	3.54	3.24	2.96	3.59	5.18	5.16	51.32
092	MAGNOLIA	4.51	4.08	5.16	4.71	4.96	5.17	3.47	3.22	3.36	4.12	5.32	5.02	53.10
093	MALVERN	4.00	3.82	5.45	5.46	5.71	4.61	4.33	2.99	4.05	4.81	5.98	5.33	56.54
094	MAMMOTH SPRING	2.86	2.84	4.15	4.37	3.95	3.67	3.16	3.07	3.60	3.57	5.08	4.03	44.35
095	MARIANNA 2 S	4.15	3.95	5.52	5.30	5.34	4.39	3.83	2.73	3.16	3.79	5.22	5.27	52.65
096	MARSHALL	2.39	2.97	4.77	4.09	4.96	3.48	2.54	2.39	3.86	3.47	4.89	3.87	43.68
097	MCARTHUR	5.80	4.63	5.32	5.50	5.59	3.40	2.98	1.85	3.00	3.24	5.67	5.63	52.61
098	MELBOURNE 5 WNW	2.85	3.04	4.63	4.35	4.71	3.55	3.09	3.09	3.89	3.42	4.97	4.14	45.73
099	MENA	3.29	3.65	5.19	5.20	6.65	5.17	5.05	2.54	5.07	5.68	5.88	5.02	58.39
100	MONTICELLO 3 SW	5.14	4.61	5.69	5.23	4.77	4.55	4.07	3.32	3.21	4.35	5.20	5.19	55.33
101	MORRILTON	3.36	3.30	4.48	4.38	5.23	4.51	2.83	2.44	3.26	4.34	5.74	4.60	48.47
102	MOUNT IDA 3 SE	3.70	3.90	5.40	5.30	6.24	5.01	3.97	2.63	4.84	5.29	6.21	5.46	57.95
103	MOUNTAINBURG 2 NE	2.85	3.00	4.87	4.92	6.05	5.10	3.09	2.93	4.33	4.53	5.47	3.46	50.60
104	MOUNTAIN HOME 1 NNW	2.74	3.00	4.48	4.13	4.85	3.99	2.73	2.59	4.33	3.14	5.31	3.94	45.23
105	MOUNTAIN VIEW	3.09	3.17	4.87	4.92	5.13	3.75	3.29	3.15	4.07	3.99	5.40	4.48	49.31
106	MURFREESBORO 5 SW	3.75	3.94	5.48	5.10	5.35	4.84	4.72	3.36	4.26	4.93	6.00	5.17	56.90
107	NASHVILLE	3.50	3.81	5.13	4.81	5.29	4.82	4.00	3.09	3.99	5.04	5.70	5.22	54.40
108	NATURAL DAM	2.68	2.81	4.93	4.15	5.81	4.67	3.50	3.42	4.34	4.49	5.39	3.52	49.71
109	NEWHOPE 6 S	3.62	4.12	5.82	4.70	5.06	3.73	3.60	2.41	3.60	5.09	5.85	5.08	52.68
110	NEWPORT	3.50	3.30	4.83	5.01	4.74	3.78	3.31	2.90	3.49	3.67	5.55	4.74	48.82
111	NIMROD DAM	3.10	3.51	4.90	4.57	5.10	4.19	3.26	2.81	3.84	4.45	5.17	4.93	49.83
112	NORTH LITTLE ROCK AP	3.37	3.27	4.88	5.03	5.40	3.51	3.15	2.97	3.53	3.81	5.74	4.53	49.19
113	ODELL 2 N	2.77	3.15	4.91	4.77	6.21	5.02	3.49	3.48	4.93	4.72	5.33	3.57	52.35
114	ODEN 1 SE	3.23	3.79	5.12	4.89	5.57	4.86	3.68	2.88	4.35	4.90	5.83	5.32	54.42
115	OKAY	3.44	3.41	4.78	4.46	4.89	4.14	3.80	2.14	4.42	3.87	6.20	5.02	50.57
116	OMAHA 4 NE	2.09	2.75	4.08	3.59	3.98	3.94	3.16	2.95	3.57	2.89	4.48	2.92	40.40
117	OWENSVILLE	3.22	3.66	5.41	5.64	5.37	4.95	3.64	3.07	3.90	4.76	6.11	4.94	54.67
118	OZARK	2.78	2.80	4.45	3.63	5.13	3.84	3.48	2.52	3.70	3.91	5.06	4.01	45.31
119	OZONE	2.87	3.17	4.99	5.14	5.85	5.22	3.35	2.91	4.62	4.51	5.86	4.27	52.76
120	PARAGOULD 1 S	3.49	3.52	4.93	5.10	4.96	3.93	3.18	2.90	3.17	4.00	5.35	4.87	49.40
121	PARKS	3.09	2.98	4.47	4.45	6.11	4.91	3.51	2.38	4.14	4.29	5.15	4.51	49.99
122	PERRY	3.27	3.45	4.80	4.80	5.63	4.46	2.98	2.68	3.34	3.94	5.57	4.89	49.81
123	PINE BLUFF	4.21	4.00	5.08	5.14	4.96	3.78	4.02	3.32	3.20	4.49	4.87	5.41	52.48
124	PINE RIDGE	3.20	3.66	5.30	4.98	6.13	4.98	4.29	2.66	4.57	4.91	5.59	5.21	55.48
125	PINEY GROVE	3.87	3.97	5.62	5.07	5.58	4.57	4.24	2.79	3.67	4.56	6.30	5.09	55.33
126	POCAHONTAS 1	3.66	3.69	5.16	4.54	4.78	3.23	3.29	3.24	3.54	3.63	5.48	4.59	48.83
127	PORTLAND	5.56	5.29	5.90	5.69	5.31	4.55	4.01	2.85	2.91	3.92	5.19	5.85	57.03
128	PRESCOTT	4.24	4.05	5.04	4.97	5.15	4.69	4.27	3.13	4.34	5.00	5.90	5.55	56.33
129	RATCLIFF	2.68	2.82	4.02	3.90	5.24	3.90	3.23	2.57	3.64	3.55	4.98	3.69	44.22
130	ROHWER 2 NNE	4.98	4.31	5.32	5.07	4.78	3.91	3.79	2.54	2.91	3.38	5.40	5.60	51.99
131	SAINT CHARLES	4.13	3.94	5.61	5.52	4.93	4.08	3.67	2.24	3.06	3.82	5.47	5.08	51.55
132	SAINT FRANCIS	3.33	3.61	4.86	5.39	4.65	3.58	3.53	2.83	2.96	3.33	4.84	4.44	47.35
133	ST PAUL	3.12	2.99	4.61	5.13	6.31	4.58	2.71	3.44	5.09	4.41	6.41	4.09	52.89
134	SALEM	2.99	3.03	4.81	4.40	4.63	3.47	2.89	2.85	4.04	3.47	5.19	4.01	45.78
135	SEARCY	3.77	3.42	5.26	4.99	5.33	3.62	3.48	3.02	3.40	4.04	5.76	4.92	51.01
136	SHERIDAN	4.10	4.05	5.13	5.31	5.05	3.63	4.02	2.58	3.66	3.68	5.48	5.22	51.91
137	SHIRLEY	3.12	3.38	4.99	4.92	5.33	3.95	3.07	2.58	4.70	4.20	5.40	4.61	50.25
138	SILOAM SPRINGS	2.27	2.09	4.32	4.31	5.20	4.84	3.54	3.35	5.05	3.68	4.82	3.42	46.89



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 14




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 15

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ALICIA	HDD	922	687	472	202	44	0	0	0	22	153	481	785	3768
		CDD	0	0	2	30	186	396	537	477	250	56	3	0	1937
003	ALUM FORK	HDD	857	647	459	206	52	2	0	2	21	146	481	758	3631
		CDD	0	0	2	21	122	297	454	414	220	38	1	0	1569
006	ARKADELPHIA 2 N	HDD	694	481	295	102	16	0	0	0	7	100	362	615	2672
		CDD	0	2	16	57	203	389	518	494	297	63	5	0	2044
008	ARKANSAS POST	HDD	736	514	322	123	19	0	0	0	7	104	370	644	2839
		CDD	0	3	14	65	209	400	522	484	296	85	8	1	2087
012	BATESVILLE LIVESTOCK	HDD	821	588	398	152	46	2	0	1	15	125	422	727	3297
		CDD	0	2	9	42	163	355	520	484	272	64	7	0	1918
013	BATESVILLE L&D 1	HDD	930	703	499	234	60	1	0	0	31	198	509	805	3970
		CDD	0	0	1	18	135	322	483	427	211	33	1	0	1631
014	BEDEVILLE 4 NE	HDD	868	626	423	169	45	1	0	0	23	162	450	753	3520
		CDD	0	0	7	41	183	374	503	435	232	51	3	0	1829
015	BENTON	HDD	799	581	386	166	41	1	0	1	16	143	437	707	3278
		CDD	0	0	8	31	160	341	480	435	240	50	3	0	1748
016	BENTONVILLE 4 S	HDD	996	754	567	289	112	11	0	6	54	241	572	881	4483
		CDD	0	0	0	11	89	234	386	359	168	22	0	0	1269
021	BLAKELY MOUNTAIN DAM	HDD	829	622	446	203	56	3	0	1	23	182	467	743	3575
		CDD	0	0	1	17	117	302	448	412	216	34	1	0	1548
022	BLUE MOUNTAIN DAM	HDD	832	607	412	172	45	2	0	1	16	142	449	738	3416
		CDD	0	0	6	37	162	354	520	495	273	58	4	0	1909
024	BLYTHEVILLE	HDD	886	657	443	174	36	0	0	0	10	146	437	755	3544
		CDD	0	0	3	45	201	407	534	470	252	62	5	0	1979
026	BOONEVILLE 3 SSE	HDD	802	559	362	134	36	1	0	2	20	117	424	714	3171
		CDD	0	5	9	53	170	365	521	496	272	61	8	0	1960
027	BRINKLEY	HDD	848	622	427	176	47	1	0	0	15	157	438	725	3456
		CDD	0	1	3	35	178	370	496	441	243	57	3	0	1827
029	CABOT 4 SW	HDD	830	602	407	183	48	1	0	4	27	174	456	738	3470
		CDD	0	0	4	35	148	340	462	420	236	51	3	0	1699
030	CALICO ROCK 2 WSW	HDD	965	746	547	285	102	10	0	3	41	230	554	853	4336
		CDD	0	0	0	8	95	236	382	353	155	22	0	0	1251
031	CALION LOCK & DAM	HDD	717	507	334	130	21	0	0	0	8	119	386	631	2853
		CDD	0	0	9	47	202	373	525	490	289	57	7	0	1999
032	CAMDEN 1	HDD	722	517	330	125	28	0	0	0	11	121	383	635	2872
		CDD	0	0	8	47	192	385	516	485	275	58	5	2	1973
033	CLARENDRN	HDD	858	634	420	176	41	0	0	0	22	162	440	738	3491
		CDD	0	2	6	38	180	371	505	445	243	60	4	0	1854
034	CLARKSVILLE	HDD	892	653	472	215	66	3	0	1	25	186	496	795	3804
		CDD	0	0	1	18	130	313	472	442	233	38	1	0	1648
037	CONWAY	HDD	827	599	387	159	33	0	0	0	13	130	443	729	3320
		CDD	0	0	11	39	177	376	530	497	274	54	3	0	1961
038	CORNING	HDD	962	710	482	193	53	1	0	0	26	187	510	834	3958
		CDD	0	0	3	32	163	353	490	421	207	40	2	0	1711
040	CROSSETT 2 SSE	HDD	735	534	358	159	36	1	0	0	13	149	396	649	3030
		CDD	0	0	6	38	163	346	471	445	257	57	5	0	1788
044	DARDANELLE	HDD	807	575	375	137	33	1	0	0	12	127	431	723	3221
		CDD	0	0	7	36	172	359	511	477	264	54	2	0	1882
045	DEER	HDD	1053	804	648	367	161	23	4	15	74	283	631	938	5001
		CDD	0	0	0	4	45	149	296	286	119	13	0	0	912
046	DEQUEEN	HDD	782	568	386	165	36	0	0	0	12	131	427	691	3198
		CDD	0	0	3	26	160	351	494	482	278	60	6	0	1860
047	DERMOTT 3 NE	HDD	735	527	338	131	26	0	0	0	11	121	362	635	2886
		CDD	0	1	9	55	226	421	534	485	291	75	8	0	2105
048	DES ARC	HDD	828	594	393	150	35	0	0	0	12	124	416	714	3266
		CDD	0	1	9	42	203	402	543	494	264	65	4	0	2027
050	DUMAS	HDD	706	490	300	107	15	0	0	0	7	101	354	617	2697
		CDD	0	4	15	75	239	429	534	489	292	75	7	0	2159
051	EL DORADO S AZ RGNL AP	HDD	663	472	286	101	19	0	0	0	6	94	351	588	2580
		CDD	0	5	17	61	219	401	525	501	308	74	13	3	2127
052	EUDORA	HDD	678	483	292	108	13	0	0	0	5	89	320	586	2574
		CDD	0	3	12	72	246	442	548	517	331	100	16	4	2291
053	EUREKA SPRINGS 3 WNW	HDD	913	672	469	197	70	7	0	5	42	171	496	809	3851
		CDD	0	0	2	31	117	278	438	413	202	35	4	0	1520
054	EVENING SHADE 1 NNE	HDD	953	714	509	240	77	4	0	2	29	198	531	838	4095
		CDD	0	0	1	14	124	296	457	417	201	25	0	0	1535
055	FAYETTEVILLE EXP STN	HDD	953	710	520	246	90	8	0	4	42	217	536	840	4166
		CDD	0	0	0	17	103	269	430	402	190	26	2	0	1439




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 16

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
056	FORDYCE	HDD	795	580	406	199	65	2	0	1	21	162	437	706	3374
		CDD	0	0	3	34	144	304	437	417	227	48	4	0	1618
058	FORT SMITH RGNL AP	HDD*	851	611	409	172	32	1	0	0	23	145	448	745	3437
		CDD*	0	0	8	43	157	364	520	495	275	61	5	1	1929
061	GILBERT	HDD	861	636	438	188	66	5	0	2	25	187	485	777	3670
		CDD	0	0	2	23	132	298	451	417	213	40	2	0	1578
064	GRAVETTE	HDD	922	673	472	208	79	7	0	3	45	183	514	817	3923
		CDD	0	0	1	23	121	281	434	410	210	31	4	0	1515
066	GREENBRIER	HDD	905	667	468	221	63	2	0	1	27	190	515	798	3857
		CDD	0	0	1	15	130	303	457	425	219	37	0	0	1587
068	GREERS FERRY DAM	HDD	904	673	478	214	76	3	0	1	16	170	481	792	3808
		CDD	0	0	2	21	128	303	468	435	220	37	2	0	1616
071	HARRISON BOONE CO AP	HDD	932	695	503	233	83	5	0	4	42	203	529	834	4063
		CDD	0	0	1	23	115	272	434	393	177	27	1	0	1443
072	HECTOR 2 SSW	HDD	856	612	440	195	60	3	0	1	23	176	473	760	3599
		CDD	0	0	3	29	125	299	454	417	219	40	5	0	1591
073	HELENA	HDD	795	582	374	142	30	0	0	0	10	117	391	679	3120
		CDD	0	0	8	57	217	414	541	491	289	73	8	0	2098
074	HOPE 3 NE	HDD	756	551	373	157	37	0	0	0	15	127	408	669	3093
		CDD	0	0	2	36	168	353	489	467	264	51	4	0	1834
077	HOT SPRINGS 1 NNE	HDD	771	559	371	146	45	1	0	1	14	124	411	690	3133
		CDD	0	1	8	42	186	369	533	501	284	67	2	0	1993
078	HUNTSVILLE 1 SSW	HDD	908	679	487	224	90	8	0	5	41	184	507	811	3944
		CDD	0	0	0	18	99	250	405	382	190	33	4	0	1381
081	JONESBORO 4 N	HDD	912	678	460	187	58	1	0	0	20	166	474	781	3737
		CDD	0	0	2	35	180	372	514	457	237	57	4	0	1858
082	KEISER	HDD	892	660	448	183	46	0	0	1	26	178	456	765	3655
		CDD	0	0	4	32	184	389	504	428	231	54	3	0	1829
084	KEO	HDD	758	536	344	123	20	0	0	0	11	108	379	653	2932
		CDD	0	4	11	60	211	402	515	465	269	68	5	0	2010
088	LEAD HILL	HDD	996	760	549	277	90	9	0	2	45	217	558	869	4372
		CDD	0	0	0	11	109	270	442	399	182	26	0	0	1439
089	LEOLA	HDD	738	515	338	128	30	0	0	0	14	145	402	649	2959
		CDD	0	1	10	49	183	363	496	459	267	62	3	0	1893
090	LITTLE ROCK ADAMS AP	HDD*	775	563	369	150	24	0	0	0	13	124	400	666	3084
		CDD*	1	1	14	52	188	408	542	502	296	72	8	2	2086
092	MAGNOLIA	HDD	720	514	327	136	29	1	0	0	11	115	389	634	2876
		CDD	0	0	7	36	186	357	484	459	268	58	4	0	1859
093	MALVERN	HDD	742	527	339	128	36	2	0	1	15	136	403	660	2989
		CDD	0	2	9	41	179	354	484	448	263	58	8	0	1846
094	MAMMOTH SPRING	HDD	988	742	523	250	84	5	0	3	48	232	564	880	4319
		CDD	0	0	1	13	103	257	405	362	169	21	0	0	1331
095	MARIANNA 2 S	HDD	844	615	417	173	35	0	0	0	16	149	436	724	3409
		CDD	0	0	4	35	188	383	500	442	249	63	3	0	1867
096	MARSHALL	HDD	922	682	480	221	73	6	0	2	36	187	489	799	3897
		CDD	0	2	5	16	113	285	452	413	205	34	8	0	1533
099	MENA	HDD	842	630	454	218	66	3	0	2	24	169	481	760	3649
		CDD	0	0	0	19	114	278	420	394	203	33	2	0	1463
100	MONTICELLO 3 SW	HDD	738	533	339	151	31	0	0	0	11	128	371	635	2937
		CDD	0	2	8	52	191	377	499	467	283	73	8	0	1960
101	MORRILTON	HDD	861	637	445	200	48	1	0	1	19	161	473	768	3614
		CDD	0	0	2	21	138	331	489	438	234	46	2	0	1701
102	MOUNT IDA 3 SE	HDD	867	654	470	227	84	5	0	3	36	220	504	784	3854
		CDD	0	0	0	16	116	269	418	385	188	24	1	0	1417
103	MOUNTAINBURG 2 NE	HDD	818	587	384	148	45	2	0	2	18	150	450	743	3347
		CDD	0	1	4	36	144	315	460	436	243	42	2	0	1683
104	MOUNTAIN HOME 1 NNW	HDD	977	733	525	251	87	6	0	4	36	207	551	872	4249
		CDD	0	0	1	19	106	263	425	394	180	24	1	0	1413
105	MOUNTAIN VIEW	HDD	909	672	488	217	78	4	0	3	26	184	476	791	3848
		CDD	0	0	3	23	127	299	459	417	204	37	2	0	1571
106	MURFREESBORO 5 SW	HDD	824	605	424	190	52	1	0	4	21	153	457	724	3455
		CDD	0	0	2	18	140	309	451	434	245	46	3	0	1648
107	NASHVILLE	HDD	760	555	379	158	36	0	0	0	10	120	400	669	3087
		CDD	0	0	6	30	166	356	496	481	279	61	4	0	1879
110	NEWPORT	HDD	875	635	427	167	43	0	0	0	17	152	430	744	3490
		CDD	0	0	9	46	192	390	529	473	261	63	4	0	1967
111	NIMROD DAM	HDD	856	633	443	189	58	2	0	2	21	163	470	757	3594
		CDD	0	0	4	26	146	328	487	448	229	40	4	0	1712




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

ARKANSAS

Page 17

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
112	NORTH LITTLE ROCK AP	HDD	770	549	343	128	31	0	0	0	8	99	383	669	2980
		CDD	0	6	10	66	212	412	564	528	307	83	8	0	2196
115	OKAY	HDD	673	463	277	93	17	0	0	0	7	86	336	591	2543
		CDD	0	5	13	63	218	406	543	522	310	86	12	2	2180
118	OZARK	HDD	878	638	454	204	58	2	0	1	21	165	476	782	3679
		CDD	0	0	1	23	140	328	482	455	258	51	1	0	1739
120	PARAGOULD 1 S	HDD	941	704	475	198	48	1	0	0	21	173	507	804	3872
		CDD	0	0	3	30	155	351	484	428	228	45	1	0	1725
123	PINE BLUFF	HDD	751	536	346	135	26	0	0	0	5	104	382	650	2935
		CDD	0	3	12	63	210	408	538	498	290	69	7	1	2099
126	POCAHONTAS 1	HDD	955	715	497	222	62	1	0	1	31	193	524	836	4037
		CDD	0	0	3	23	145	334	480	416	203	35	2	0	1641
127	PORTLAND	HDD	732	530	336	123	20	0	0	0	7	110	364	625	2847
		CDD	0	0	6	46	223	415	522	487	289	83	8	0	2079
128	PRESCOTT	HDD	755	533	341	130	20	0	0	0	10	109	410	668	2976
		CDD	0	0	7	41	187	376	507	483	281	63	2	0	1947
130	ROHWER 2 NNE	HDD	752	541	357	141	27	0	0	0	10	127	377	647	2979
		CDD	0	0	8	55	215	410	518	467	274	68	8	0	2023
131	SAINT CHARLES	HDD	783	570	370	150	37	0	0	0	12	125	396	680	3123
		CDD	0	1	8	47	189	390	519	478	279	65	8	0	1984
135	SEARCY	HDD	871	645	442	195	49	1	0	0	22	174	488	768	3655
		CDD	0	0	3	24	160	347	491	438	224	39	0	0	1726
136	SHERIDAN	HDD	806	581	383	164	35	1	0	0	13	152	441	706	3282
		CDD	0	0	5	34	166	353	495	454	253	52	1	0	1813
138	SILOAM SPRINGS	HDD	961	724	542	273	109	10	0	4	48	219	545	848	4283
		CDD	0	0	0	12	98	250	412	390	189	22	0	0	1373
139	SPARKMAN	HDD	761	550	372	158	41	1	0	0	11	161	402	670	3127
		CDD	0	0	8	46	178	363	516	475	256	58	8	0	1908
140	STAMPS	HDD	688	483	306	118	19	0	0	0	7	99	363	611	2694
		CDD	0	4	12	52	197	385	513	497	294	67	8	2	2031
142	STUTTGART 9 ESE	HDD	787	577	379	149	34	0	0	0	8	118	380	671	3103
		CDD	0	2	7	47	214	414	538	489	285	73	4	0	2073
143	SUBIACO	HDD	826	595	397	160	45	2	0	2	19	138	444	738	3366
		CDD	0	2	7	35	153	333	484	453	246	47	3	0	1763
145	TEXARKANA WEBB FIELD	HDD	642	438	261	91	9	0	0	0	7	78	325	570	2421
		CDD	0	5	10	68	228	426	549	535	333	104	15	7	2280
146	WALDRON	HDD	791	574	382	152	45	2	0	1	26	142	443	714	3272
		CDD	0	0	6	36	160	336	477	448	246	40	2	0	1751
147	WARREN 2 WSW	HDD	750	548	366	156	37	1	0	0	9	126	387	652	3032
		CDD	0	0	6	36	171	360	498	470	272	58	6	0	1877
149	WEST MEMPHIS	HDD	853	630	419	172	40	1	0	0	17	139	433	713	3417
		CDD	0	0	6	38	185	382	510	452	260	66	4	0	1903
150	WYNNE	HDD	897	670	460	208	48	1	0	1	25	162	480	763	3715
		CDD	0	0	1	23	164	364	484	415	217	52	2	0	1722




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 18

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ALICIA	HIGHEST MEAN	43.6	48.6	54.7	66.1	75.1	80.9	89.2	86.9	77.6	68.0	56.6	47.6	89.2
		MEDIAN	36.6	41.0	50.0	59.1	69.5	78.6	82.2	79.9	72.6	61.9	48.6	40.0	59.5
		LOWEST MEAN	23.1	27.6	44.0	54.2	64.7	73.3	77.9	75.5	65.0	56.3	40.6	28.1	23.1
		HIGHEST MEAN YEAR	1990	1976	1976	1981	1987	1998	1980	1980	1986	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1994	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	44.4	49.5	55.5	65.2	71.7	78.6	85.8	84.2	76.9	66.5	54.9	48.6	85.8
		MEDIAN	38.1	42.5	51.0	58.9	66.7	74.9	79.1	78.4	71.2	61.5	49.0	40.8	59.0
		LOWEST MEAN	26.0	30.3	44.8	52.2	63.1	70.6	76.5	72.3	64.6	56.8	42.6	28.1	26.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1971	1990	1984	1980
		LOWEST MEAN YEAR	1979	1978	1975	1983	1976	1974	1989	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.0	0.0	0.1	0.0	0.4	0.3	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
003	ALUM FORK	HIGHEST MEAN	44.4	49.5	55.5	65.2	71.7	78.6	85.8	84.2	76.9	66.5	54.9	48.6	85.8
		MEDIAN	38.1	42.5	51.0	58.9	66.7	74.9	79.1	78.4	71.2	61.5	49.0	40.8	59.0
		LOWEST MEAN	26.0	30.3	44.8	52.2	63.1	70.6	76.5	72.3	64.6	56.8	42.6	28.1	26.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1971	1990	1984	1980
		LOWEST MEAN YEAR	1979	1978	1975	1983	1976	1974	1989	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.0	0.0	0.1	0.0	0.4	0.3	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	48.7	55.3	62.7	69.6	75.3	81.2	86.0	84.9	79.8	68.6	58.0	54.8	86.0
		MEDIAN	42.7	48.1	56.3	63.4	71.1	77.9	81.4	80.8	74.9	64.1	53.0	45.6	63.3
		LOWEST MEAN	32.5	37.2	50.2	58.0	66.9	74.0	79.2	77.7	68.9	58.0	45.9	34.5	32.5
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1971	1980	1980	1980	1971	1985	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1984	1994	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.6	-0.5	-0.3	-0.3	-0.4	-0.6	-0.7	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.7	-1.8	-1.8	-1.2	-0.9	-0.8	-1.0	-1.1	-1.3	-1.5	-1.2	
008	ARKANSAS POST	HIGHEST MEAN	48.4	54.6	60.5	68.9	75.6	82.0	85.6	84.5	79.1	70.5	58.8	54.7	85.6
		MEDIAN	42.0	47.2	55.3	63.3	70.8	78.8	81.5	80.1	74.3	64.9	53.1	44.3	62.6
		LOWEST MEAN	30.7	34.9	49.6	56.6	65.6	74.2	78.9	76.5	68.6	58.4	45.5	33.6	30.7
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	2000	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.1	-1.0	-0.6	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.8	-1.8	-1.9	-1.2	-1.0	-0.8	-0.8	-1.2	-1.3	-1.5	-1.2	
		HIGHEST MEAN	46.9	53.0	57.2	67.9	74.1	81.2	88.5	87.3	78.8	68.9	57.7	49.8	88.5
		MEDIAN	39.4	45.1	52.5	61.6	68.6	76.7	81.3	80.3	73.4	62.9	51.6	42.1	61.0
		LOWEST MEAN	26.9	32.3	46.5	55.5	62.8	72.0	78.5	74.3	66.9	57.2	44.3	29.2	26.9
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1987	1998	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	-1.3	-1.1	-1.0	-0.9	-0.6	-0.4	-0.4	-0.5	-0.7	-0.9	-1.3	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.9	-1.8	-2.4	-1.4	-1.2	-0.9	-0.9	-1.4	-1.2	-1.6	-1.3	
012	BATESVILLE LI	HIGHEST MEAN	45.4	48.5	53.6	64.1	72.5	79.0	86.6	84.2	76.1	65.2	54.5	47.3	86.6
		MEDIAN	36.0	40.1	49.3	58.1	66.9	75.5	80.5	78.6	71.1	59.8	48.0	39.5	58.3
		LOWEST MEAN	22.3	27.6	43.1	51.6	63.0	71.6	76.9	75.0	64.0	54.6	40.2	25.4	22.3
		HIGHEST MEAN YEAR	1990	1990	1990	1981	1987	1971	1980	1980	1980	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1975	1983	1976	1974	1989	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.1	-0.1	-0.2	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	45.7	50.7	59.0	66.0	74.1	81.6	85.1	85.0	78.3	66.8	55.5	52.3	85.1
		MEDIAN	39.4	44.1	53.2	60.5	68.3	76.5	80.5	78.7	72.0	62.3	50.6	42.9	60.7
		LOWEST MEAN	27.3	33.4	46.9	54.4	64.0	71.9	77.3	73.4	66.4	56.3	43.4	30.9	27.3
		HIGHEST MEAN YEAR	1990	1976	1974	1991	1987	1998	1980	2000	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.0	0.1	0.0	0.4	0.3	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
014	BEEDEVILLE 4	HIGHEST MEAN	44.6	50.4	56.8	66.1	74.3	80.9	86.4	83.0	77.5	68.1	55.4	49.2	86.4
		MEDIAN	37.8	42.8	52.1	60.6	69.5	77.7	81.1	78.8	71.9	61.4	50.6	40.9	60.2
		LOWEST MEAN	25.0	30.5	46.1	54.1	64.3	72.6	78.0	73.9	66.1	56.4	43.2	29.7	25.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1994	1974	1989	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-1.0	-0.9	-0.8	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.7	-0.6	-1.0	-0.5	-0.5	-0.3	-0.3	-0.5	-0.4	-0.6	-0.5	
		HIGHEST MEAN	45.7	50.7	59.0	66.0	74.1	81.6	85.1	85.0	78.3	66.8	55.5	52.3	85.1
		MEDIAN	39.4	44.1	53.2	60.5	68.3	76.5	80.5	78.7	72.0	62.3	50.6	42.9	60.7
		LOWEST MEAN	27.3	33.4	46.9	54.4	64.0	71.9	77.3	73.4	66.4	56.3	43.4	30.9	27.3
015	BENTON	HIGHEST MEAN	45.7	50.7	59.0	66.0	74.1	81.6	85.1	85.0	78.3	66.8	55.5	52.3	85.1
		MEDIAN	39.4	44.1	53.2	60.5	68.3	76.5	80.5	78.7	72.0	62.3	50.6	42.9	60.7
		LOWEST MEAN	27.3	33.4	46.9	54.4	64.0	71.9	77.3	73.4	66.4	56.3	43.4	30.9	27.3
		HIGHEST MEAN YEAR	1990	1976	1974	1991	1987	1998	1980	2000	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.0	0.1	0.0	0.4	0.3	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 19

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
022	BLUE MOUNTAIN	HIGHEST MEAN	45.8	50.8	56.9	67.5	73.4	80.6	87.1	88.0	79.5	67.7	57.1	49.8	88.0
		MEDIAN	38.6	43.8	52.3	60.1	68.2	77.0	81.5	80.4	73.3	62.4	50.2	41.3	60.8
		LOWEST MEAN	26.2	31.9	45.8	55.3	63.9	72.3	77.7	74.8	67.8	57.1	43.8	30.2	26.2
		HIGHEST MEAN YEAR	1990	1976	1985	1981	1987	1977	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1993	1976	1974	1989	1992	1974	1993	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.4	-0.2	-0.3	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	45.0	49.7	56.1	67.3	75.9	82.2	87.9	85.0	79.1	68.4	56.4	49.6	87.9
		MEDIAN	37.0	42.2	51.0	60.6	70.2	78.7	81.6	79.7	73.0	62.6	50.6	41.0	60.7
		LOWEST MEAN	23.0	27.7	45.0	54.0	65.5	73.5	78.8	75.6	67.6	57.1	42.9	28.8	23.0
		HIGHEST MEAN YEAR	1990	1976	1976	1981	1977	1994	1980	1983	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1972	1992	1974	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.3	0.0	0.0	0.0	-0.1	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
024	BLYTHEVILLE	HIGHEST MEAN	45.0	49.7	56.1	67.3	75.9	82.2	87.9	85.0	79.1	68.4	56.4	49.6	87.9
		MEDIAN	37.0	42.2	51.0	60.6	70.2	78.7	81.6	79.7	73.0	62.6	50.6	41.0	60.7
		LOWEST MEAN	23.0	27.7	45.0	54.0	65.5	73.5	78.8	75.6	67.6	57.1	42.9	28.8	23.0
		HIGHEST MEAN YEAR	1990	1976	1976	1981	1977	1994	1980	1983	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1972	1992	1974	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.3	0.0	0.0	0.0	-0.1	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	47.1	55.1	58.6	69.3	73.6	81.0	88.3	88.5	80.3	66.5	58.8	49.9	88.5
		MEDIAN	40.0	46.2	53.9	62.2	68.9	76.8	81.3	80.5	73.8	63.6	51.8	42.5	61.6
		LOWEST MEAN	26.9	34.1	47.3	56.1	63.9	73.8	77.0	75.4	65.5	57.0	44.7	30.8	26.9
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1980	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.9	-0.8	-0.5	-0.3	-0.3	-0.4	-0.5	-0.6	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.6	-0.6	-1.0	-0.5	-0.4	-0.3	-0.6	-0.5	-0.4	-0.6	-0.5	
027	BRINKLEY	HIGHEST MEAN	45.2	54.5	56.9	66.4	75.0	81.7	84.7	84.2	78.0	69.0	55.6	50.9	84.7
		MEDIAN	38.1	43.2	51.5	60.2	69.1	77.5	80.9	78.7	72.9	61.8	51.0	42.0	60.4
		LOWEST MEAN	25.8	30.4	45.5	53.8	63.0	72.3	77.3	74.3	67.0	56.2	42.1	31.1	25.8
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1994	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	1.2	0.1	0.1	-0.1	-0.2	0.3	0.3	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	45.1	51.3	57.7	66.4	73.1	80.3	85.9	84.7	77.4	67.2	55.7	51.0	85.9
		MEDIAN	38.6	43.6	51.8	60.2	68.0	76.3	79.8	78.4	71.4	61.1	50.8	41.5	60.2
		LOWEST MEAN	27.3	31.8	46.0	53.0	63.4	72.8	74.9	71.9	65.7	55.7	43.1	29.6	27.3
029	CABOT 4 SW	HIGHEST MEAN	45.1	51.3	57.7	66.4	73.1	80.3	85.9	84.7	77.4	67.2	55.7	51.0	85.9
		MEDIAN	38.6	43.6	51.8	60.2	68.0	76.3	79.8	78.4	71.4	61.1	50.8	41.5	60.2
		LOWEST MEAN	27.3	31.8	46.0	53.0	63.4	72.8	74.9	71.9	65.7	55.7	43.1	29.6	27.3
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	2000	1980	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1997	1974	1994	1996	1996	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.8	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-1.1	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.1	-1.5	-0.8	-0.7	-0.5	-0.5	-0.8	-0.6	-0.9	-0.7	
		HIGHEST MEAN	41.6	46.0	52.3	62.3	70.0	76.6	83.2	83.1	74.2	63.6	52.5	45.5	83.2
		MEDIAN	34.5	39.3	47.9	55.6	64.4	72.7	77.2	75.7	68.2	58.3	46.2	37.9	56.3
		LOWEST MEAN	21.9	26.6	41.1	50.8	57.7	67.9	74.8	71.1	63.0	53.2	38.2	25.6	21.9
030	CALICO ROCK 2	HIGHEST MEAN	41.6	46.0	52.3	62.3	70.0	76.6	83.2	83.1	74.2	63.6	52.5	45.5	83.2
		MEDIAN	34.5	39.3	47.9	55.6	64.4	72.7	77.2	75.7	68.2	58.3	46.2	37.9	56.3
		LOWEST MEAN	21.9	26.6	41.1	50.8	57.7	67.9	74.8	71.1	63.0	53.2	38.2	25.6	21.9
		HIGHEST MEAN YEAR	1998	2000	1973	1981	1991	1994	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1975	1983	1976	1974	1976	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.1	
		HIGHEST MEAN	48.1	54.8	60.4	68.4	75.4	83.4	86.5	84.8	80.3	67.0	58.8	54.6	86.5
		MEDIAN	42.4	47.1	54.7	62.0	70.6	77.6	81.4	80.5	73.7	63.1	53.0	44.7	62.6
		LOWEST MEAN	32.0	35.8	50.1	57.1	65.8	73.1	78.9	75.7	69.1	56.1	44.2	35.8	32.0
031	CALION LOCK &	HIGHEST MEAN	48.1	54.8	60.4	68.4	75.4	83.4	86.5	84.8	80.3	67.0	58.8	54.6	86.5
		MEDIAN	42.4	47.1	54.7	62.0	70.6	77.6	81.4	80.5	73.7	63.1	53.0	44.7	62.6
		LOWEST MEAN	32.0	35.8	50.1	57.1	65.8	73.1	78.9	75.7	69.1	56.1	44.2	35.8	32.0
		HIGHEST MEAN YEAR	1989	1976	1974	1981	1987	1998	1998	1995	1990	1971	1985	1984	1998
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	2000	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.7	1.1	1.0	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	47.4	54.3	59.9	69.1	74.6	81.9	85.9	85.4	78.8	67.5	57.5	54.5	85.9
		MEDIAN	42.3	46.7	54.6	62.0	69.9	77.9	81.2	79.9	73.4	63.1	52.5	45.3	62.5
		LOWEST MEAN	32.1	34.7	49.2	58.1	64.6	73.7	78.3	75.7	67.1	56.0	45.3	34.5	32.1
032	CAMDEN 1	HIGHEST MEAN	47.4	54.3	59.9	69.1	74.6	81.9	85.9	85.4	78.8	67.5	57.5	54.5	85.9
		MEDIAN	42.3	46.7	54.6	62.0	69.9	77.9	81.2	79.9	73.4	63.1	52.5	45.3	62.5
		LOWEST MEAN	32.1	34.7	49.2	58.1	64.6	73.7	78.3	75.7	67.1	56.0	45.3	34.5	32.1
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	2000	1998	1971	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976								




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 20

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
037	CONWAY	HIGHEST MEAN	44.2	51.6	58.1	67.7	75.0	81.1	88.4	88.3	78.8	67.8	56.6	49.5	88.4
		MEDIAN	38.9	44.1	53.9	61.1	69.0	77.2	81.8	80.9	73.3	62.7	50.7	42.2	61.3
		LOWEST MEAN	27.7	32.3	46.0	55.4	65.4	73.5	74.5	76.0	67.5	56.9	43.6	29.9	27.7
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	1980	1980	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.2	0.0	0.1	-0.1	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	42.9	46.9	54.7	66.5	73.7	80.0	85.4	83.9	76.6	67.0	54.9	45.8	85.4
		MEDIAN	34.4	40.2	49.9	59.9	68.0	76.9	81.0	78.3	71.2	60.0	48.3	38.7	58.5
		LOWEST MEAN	21.6	26.7	43.6	54.1	64.1	72.3	78.1	74.0	64.7	54.2	39.9	26.0	21.6
038	CORNING	HIGHEST MEAN YEAR	1990	1990	1973	1981	1987	1971	1980	1983	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	-0.6	-0.4	-0.3	-0.3	-0.5	-0.4	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	48.2	53.0	59.6	67.4	73.2	81.5	84.0	83.9	78.2	66.9	56.9	53.8	84.0
		MEDIAN	41.6	45.9	53.7	61.0	69.1	76.4	79.9	79.8	72.6	62.2	52.1	44.4	61.4
		LOWEST MEAN	32.8	36.3	48.4	55.0	63.7	72.6	76.7	74.5	67.4	54.7	44.0	34.6	32.8
		HIGHEST MEAN YEAR	1990	1990	1974	1981	1987	1998	1998	2000	1998	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1974	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	0.5	
040	CROSSETT 2 SS	MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	48.2	53.0	59.6	67.4	73.2	81.5	84.0	83.9	78.2	66.9	56.9	53.8	84.0
		MEDIAN	41.6	45.9	53.7	61.0	69.1	76.4	79.9	79.8	72.6	62.2	52.1	44.4	61.4
		LOWEST MEAN	32.8	36.3	48.4	55.0	63.7	72.6	76.7	74.5	67.4	54.7	44.0	34.6	32.8
		HIGHEST MEAN YEAR	1990	1990	1974	1981	1987	1998	1998	2000	1998	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1974	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	46.3	51.7	58.3	67.6	74.1	80.2	86.9	85.6	79.3	67.7	56.2	50.4	86.9
		MEDIAN	39.7	44.7	53.4	61.7	68.7	76.9	81.1	80.0	73.0	62.5	51.4	42.3	61.3
044	DARDANELLE	LOWEST MEAN	27.5	32.8	47.2	56.6	65.4	73.1	78.5	74.9	67.6	57.3	44.1	31.2	27.5
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	1980	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.8	-0.5	-0.4	-0.4	-0.4	-0.6	-0.8	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.8	-1.8	-2.2	-1.3	-1.0	-0.9	-1.1	-1.3	-1.1	-1.5	-1.2	
		HIGHEST MEAN	39.2	43.2	48.7	59.1	66.8	72.6	81.1	80.1	73.6	61.6	53.2	44.2	81.1
		MEDIAN	31.6	37.0	44.8	53.3	60.7	69.4	73.7	73.1	66.5	56.8	43.9	35.2	53.7
		LOWEST MEAN	19.1	22.9	36.6	45.5	56.7	64.7	71.3	67.8	59.3	51.0	36.0	21.6	19.1
		HIGHEST MEAN YEAR	1990	2000	1974	1981	1998	1998	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1989	1992	1974	1988	1976	1983	1977
045	DEER	MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.1	-0.1	0.4	0.3	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	39.2	43.2	48.7	59.1	66.8	72.6	81.1	80.1	73.6	61.6	53.2	44.2	81.1
		MEDIAN	31.6	37.0	44.8	53.3	60.7	69.4	73.7	73.1	66.5	56.8	43.9	35.2	53.7
		LOWEST MEAN	19.1	22.9	36.6	45.5	56.7	64.7	71.3	67.8	59.3	51.0	36.0	21.6	19.1
		HIGHEST MEAN YEAR	1990	2000	1974	1981	1998	1998	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.0	0.1	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	46.6	51.6	57.8	65.2	73.5	80.7	86.9	84.8	79.8	67.4	56.7	52.1	86.9
046	DEQUEEN	MEDIAN	40.4	45.4	53.1	60.1	68.8	76.6	80.6	80.1	73.5	62.9	51.2	43.2	61.2
		LOWEST MEAN	28.3	32.9	46.3	55.8	64.6	73.4	77.7	75.3	67.6	54.9	42.5	32.9	28.3
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1998	2000	1998	1971	1999	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1981	1976	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	47.9	54.1	58.8	68.5	76.6	83.2	86.3	85.3	80.1	68.4	59.0	54.5	86.3
		MEDIAN	42.0	46.4	54.6	62.3	70.9	79.2	82.3	80.2	74.0	63.8	53.8	44.6	62.7
		LOWEST MEAN	30.8	34.8	49.0	56.6	64.9	74.9	79.2	75.8	67.8	56.5	44.7	34.9	30.8
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1996	1998	1980	2000	1998	1998	1985	1984	1980
047	DERMOTT 3 NE	LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.1	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	47.9	54.1	58.8	68.5	76.6	83.2	87.0	85.6	77.6	69.0	56.8	51.8	87.0
		MEDIAN	42.0	46.4	54.6	62.3	70.9	79.2	82.0	80.7	73.8	63.6	51.1	42.4	61.5
		LOWEST MEAN	32.7	30.3	46.5	55.3	65.5	72.7	79.3	75.8	66.7	57.3	45.0	31.8	27.2
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	2000	1972	1971	1990	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.2	0.0	0.1	-0.1	-0.2	0.3	0.3	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
048	DES ARC	HIGHEST MEAN	45.6	51.3	57.7	66.6	76.3	83.2	87.0	85.6	77.6	69.0	56.8	51.8	87.0
		MEDIAN	39.2	44.3	53.0	61.7	70.4	78.2	82.0	80.7	73.8	63.6	51.1	42.4	61.5
		LOWEST MEAN	27.2	30.3	46.5	55.3	65.5	72.7	79.3	75.8	66.7	57.3			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 21

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
052	EUDORA	HIGHEST MEAN	49.6	56.1	61.4	70.1	76.4	82.6	86.7	86.5	81.8	70.7	60.6	56.7	86.7
		MEDIAN	43.2	47.5	55.9	63.8	72.4	80.0	82.7	81.5	75.5	65.1	55.3	46.4	64.2
		LOWEST MEAN	32.8	36.7	51.2	57.7	67.5	75.8	80.1	77.7	69.9	58.8	46.8	36.7	32.8
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	2000	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1976	1994	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.4	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	44.8	51.4	53.8	67.1	71.3	77.8	87.3	86.5	77.0	65.0	57.3	45.9	87.3
		MEDIAN	36.5	42.2	50.7	59.3	65.9	74.3	78.7	78.0	69.9	60.7	49.2	39.7	58.4
		LOWEST MEAN	23.0	28.8	43.2	52.9	62.1	69.8	75.0	70.1	62.7	55.4	42.4	24.4	23.0
		HIGHEST MEAN YEAR	1990	1976	1982	1981	1998	1977	1980	1980	1980	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.9	-0.5	-0.4	-0.4	-0.5	-0.7	-0.8	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.0	-1.8	-0.9	-0.8	-0.6	-1.0	-0.9	-0.7	-1.0	-0.8	
053	EUREKA SPRING	HIGHEST MEAN	44.8	51.4	53.8	67.1	71.3	77.8	87.3	86.5	77.0	65.0	57.3	45.9	87.3
		MEDIAN	36.5	42.2	50.7	59.3	65.9	74.3	78.7	78.0	69.9	60.7	49.2	39.7	58.4
		LOWEST MEAN	23.0	28.8	43.2	52.9	62.1	69.8	75.0	70.1	62.7	55.4	42.4	24.4	23.0
		HIGHEST MEAN YEAR	1990	1976	1982	1981	1998	1977	1980	1980	1980	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.9	-0.5	-0.4	-0.4	-0.5	-0.7	-0.8	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.0	-1.8	-0.9	-0.8	-0.6	-1.0	-0.9	-0.7	-1.0	-0.8	
		HIGHEST MEAN	41.5	47.7	54.0	64.3	71.8	78.6	86.2	85.0	75.5	65.0	52.9	46.2	86.2
		MEDIAN	35.1	40.3	49.6	57.6	65.7	74.8	79.6	78.0	70.4	59.4	47.9	38.5	58.1
		LOWEST MEAN	22.7	27.5	42.2	52.2	62.3	70.1	74.8	72.4	65.4	54.7	40.2	26.4	22.7
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1998	1998	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1997	1976	1976	1994	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.1	
054	EVENING SHADE	HIGHEST MEAN	41.5	47.7	54.0	64.3	71.8	78.6	86.2	85.0	75.5	65.0	52.9	46.2	86.2
		MEDIAN	35.1	40.3	49.6	57.6	65.7	74.8	79.6	78.0	70.4	59.4	47.9	38.5	58.1
		LOWEST MEAN	22.7	27.5	42.2	52.2	62.3	70.1	74.8	72.4	65.4	54.7	40.2	26.4	22.7
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1998	1998	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1997	1976	1976	1994	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.1	
		HIGHEST MEAN	42.6	49.8	53.3	63.4	70.7	77.8	84.2	83.4	77.4	63.3	56.0	44.4	84.2
		MEDIAN	35.3	40.4	48.9	57.5	64.7	73.9	78.4	77.6	69.0	59.3	47.5	38.9	57.5
		LOWEST MEAN	22.4	29.2	41.3	51.3	60.3	69.6	75.7	71.4	62.8	52.7	39.7	23.5	22.4
055	FAYETTEVILLE	HIGHEST MEAN	42.6	49.8	53.3	63.4	70.7	77.8	84.2	83.4	77.4	63.3	56.0	44.4	84.2
		MEDIAN	35.3	40.4	48.9	57.5	64.7	73.9	78.4	77.6	69.0	59.3	47.5	38.9	57.5
		LOWEST MEAN	22.4	29.2	41.3	51.3	60.3	69.6	75.7	71.4	62.8	52.7	39.7	23.5	22.4
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1994	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1982	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.4	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.0	0.2
		HIGHEST MEAN	46.8	51.5	57.8	65.6	72.5	80.1	83.4	83.3	77.4	66.8	56.0	53.7	83.4
		MEDIAN	40.0	44.3	52.5	59.5	67.6	75.5	79.0	77.9	71.8	61.2	50.5	42.5	60.1
		LOWEST MEAN	29.3	33.2	47.1	50.8	60.6	70.6	74.5	74.2	65.8	54.0	43.2	32.4	29.3
056	FORDYCE	HIGHEST MEAN	29.3	33.2	47.1	50.8	60.6	70.6	74.5	74.2	65.8	54.0	43.2	32.4	29.3
		MEDIAN	26.0	32.3	45.8	55.3	64.6	73.1	78.4	76.3	66.6	56.0	42.7	29.3	26.0
		LOWEST MEAN	19.0	1976	1974	1981	1987	1994	1993	2000	1998	1971	1999	1984	2000
		HIGHEST MEAN YEAR	1990	1976	1996	1983	1976	1976	1984	1992	1974	1976	1976	1983	1977
		LOWEST MEAN YEAR	1979	1978	1978	1983	1976	1974	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	45.4	51.4	57.2	67.4	74.6	81.9	86.7	87.0	80.5	67.7	57.4	48.8	87.0
		MEDIAN	38.8	44.2	53.4	61.1	68.8	77.5	81.8	81.0	73.1	63.0	50.9	41.7	60.9
		LOWEST MEAN	26.0	32.3	45.8	55.3	64.6	73.1	78.4	76.3	66.6	56.0	42.7	29.3	26.0
058	FORT SMITH RG	HIGHEST MEAN	45.4	51.4	57.2	67.4	74.6	81.9	86.7	87.0	80.5	67.7	57.4	48.8	87.0
		MEDIAN	38.8	44.2	53.4	61.1	68.8	77.5	81.8	81.0	73.1	63.0	50.9	41.7	60.9
		LOWEST MEAN	26.0	32.3	45.8	55.3	64.6	73.1	78.4	76.3	66.6	56.0	42.7	29.3	26.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1994	1993	2000	1998	1971	1999	1984	2000
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	44.8	50.4	54.3	64.8	71.8	78.3	85.5	84.1	77.9	64.0	57.4	45.2	85.5
		MEDIAN	35.9	42.1	50.6	58.9	65.5	73.7	78.7	78.0	70.0	60.4	48.5	39.3	58.2
		LOWEST MEAN	23.1	29.2	43.3	52.1	61.3	69.7	75.4	72.7	62.3	54.0	41.0	24.3	23.1
064	GRAVETTE	HIGHEST MEAN	1990	1976	1974	1981	1987	1994	1980	1980	1998	1973	1999	1984	1980
		MEDIAN	1979	1978	1975	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		LOWEST MEAN	1979	1978	1975	1983	1976	1974	1989	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.9	-0.5	-0.4	-0.4	-0.5	-0.7	-0.9	-1.3	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.0	-1.8	-0.9	-0.8							




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 22

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
071	HARRISON BOON	HIGHEST MEAN	43.8	48.9	53.0	65.3	72.5	77.4	85.6	84.2	77.0	64.0	56.1	46.3	85.6
		MEDIAN	35.6	41.4	50.1	58.2	65.8	74.2	78.3	77.3	68.9	60.0	47.6	39.2	57.8
		LOWEST MEAN	22.2	27.4	42.0	51.2	60.6	69.8	75.3	72.0	62.2	53.5	40.4	23.4	22.2
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1998	1994	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		HIGHEST MEAN	44.6	50.9	55.5	67.4	71.4	78.6	85.2	84.4	77.4	65.5	55.5	49.9	85.2
		MEDIAN	37.9	44.0	51.6	59.2	66.3	75.0	79.2	78.2	71.7	61.0	49.5	40.9	59.5
		LOWEST MEAN	26.1	32.0	44.8	53.2	63.6	71.1	76.3	73.0	65.1	55.6	41.9	29.8	26.1
		HIGHEST MEAN YEAR	1990	1976	1986	1981	1991	1998	1980	1980	1998	1973	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1984	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.1	-1.0	-0.9	-0.5	-0.4	-0.4	-0.5	-0.7	-0.9	-1.3	-1.2	-1.2
		MAX OBS TIME ADJUSTMENT	-1.4	-1.8	-1.8	-2.3	-1.3	-1.1	-0.9	-1.2	-1.4	-1.1	-1.6	-1.3	-1.3
		HIGHEST MEAN	47.0	51.8	58.2	68.8	76.3	83.1	87.1	86.7	79.9	69.7	57.6	51.1	87.1
		MEDIAN	40.6	44.3	53.4	62.3	70.6	79.1	82.4	80.2	74.4	63.7	52.2	43.3	61.9
		LOWEST MEAN	27.7	33.0	47.3	54.7	63.9	73.2	79.7	76.8	67.4	57.9	43.6	31.5	27.7
		HIGHEST MEAN YEAR	1990	1976	1986	1981	1991	1998	1980	1980	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1984	1974	1989	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	0.0	-0.4	-0.3	-0.3	-0.4	-0.3	-0.4	0.5	0.4	0.4
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	0.1
		HIGHEST MEAN	47.0	53.9	58.5	66.8	74.0	80.7	86.6	85.4	78.9	67.2	58.0	53.1	86.6
		MEDIAN	41.5	45.3	53.2	60.6	68.7	77.0	80.3	79.5	73.5	62.7	51.5	43.7	61.5
		LOWEST MEAN	30.7	34.1	48.4	56.2	64.9	73.3	77.7	74.7	66.5	55.9	44.5	33.2	30.7
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1998	1980	1980	1971	1985	1984	1998
		LOWEST MEAN YEAR	1979	1978	1980	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.1	1.1
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	0.1
		HIGHEST MEAN	45.8	51.8	58.5	67.5	76.0	81.4	89.1	88.1	78.6	68.7	56.1	52.6	89.1
		MEDIAN	41.1	45.8	53.5	61.7	69.1	77.4	81.8	81.0	74.0	63.2	51.9	43.4	61.7
		LOWEST MEAN	29.1	33.9	48.0	55.5	63.8	72.8	76.2	76.3	66.7	57.9	45.0	31.2	29.1
		HIGHEST MEAN YEAR	1998	2000	1974	1981	1987	1998	1980	2000	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1979	1978	1980	1983	1976	1974	1989	1994	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.0	0.0	0.1	0.0	0.4	0.3	0.3	1.1	1.1	1.1
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	0.2
		HIGHEST MEAN	44.8	50.8	54.0	64.5	71.1	77.2	84.2	83.2	77.4	63.7	57.6	47.0	84.2
		MEDIAN	36.6	41.7	50.1	58.2	64.8	73.1	77.4	76.8	69.7	60.6	48.5	39.2	57.8
		LOWEST MEAN	23.3	28.8	42.8	52.0	60.4	69.5	74.3	70.1	62.9	54.2	41.7	25.2	23.3
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	1980	1998	1973	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1982	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.9	-0.5	-0.4	-0.4	-0.5	-0.6	-0.8	-1.2	-1.1	-1.1
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.0	-1.8	-0.9	-0.8	-0.6	-1.0	-0.9	-0.7	-1.0	-0.8	-0.8
		HIGHEST MEAN	44.8	50.8	54.0	64.5	71.1	77.2	84.2	83.2	77.4	63.7	57.6	47.0	84.2
		MEDIAN	36.6	41.7	50.1	58.2	64.8	73.1	77.4	76.8	69.7	60.6	48.5	39.2	57.8
		LOWEST MEAN	23.3	28.8	42.8	52.0	60.4	69.5	74.3	70.1	62.9	54.2	41.7	25.2	23.3
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.3	0.0	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	1.1
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	0.1
		HIGHEST MEAN	43.9	48.2	55.5	65.7	75.0	81.2	87.5	85.0	77.4	69.6	55.2	47.5	87.5
		MEDIAN	36.3	41.3	50.7	60.1	68.5	77.4	81.1	79.7	72.1	61.5	49.9	40.3	59.6
		LOWEST MEAN	24.6	28.7	44.1	53.4	61.6	71.9	77.3	74.8	65.8	56.0	42.5	28.1	24.6
		HIGHEST MEAN YEAR	1989	1976	1977	1981	1977	1971	1980	1983	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.3	0.0	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	1.1
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	0.1
		HIGHEST MEAN	43.7	49.1	56.5	65.3	74.9	81.4	85.5	83.9	77.7	68.5	56.4	48.5	85.5
		MEDIAN	36.7	42.1	50.7	59.7	69.2	78.2	80.7	78.4	72.0	61.0	50.1	41.2	59.8
		LOWEST MEAN	23.2	27.0	45.3	53.6	63.8	73.7	78.5	73.7	66.6	55.1	41.2	29.0	23.2
		HIGHEST MEAN YEAR	1989	1976	1973	1981	1987	1971	1980	1983	1998	1971	1999	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1984	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	-0.5	-0.4	-0.3	-0.3	-0.4	-0.3	-0.4	0.5	0.4	0.4
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.0	0.1
		HIGHEST MEAN	48.1	54.4	60.3	68.8	75.9	82.4	86.6	84.8	78.5	69.6	58.1	53.1	86.6
		MEDIAN	41.2	46.3	54.9	63.1	71.0	78.6	81.3	79.6	73.1	63.6	52.9	44.7	62.5
		LOWEST MEAN	30.2	33.8	48.3	56.2	66.0	74.4	78.8	75.2	68.2	58.0	46.2	32.6	30.2
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	1980	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.6	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-1.1	-1.0	-1.0
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.1	-1.5	-0.8	-0.7	-0.5	-0.5	-0.8	-0.8	-0.9	-0.7	-0.7
		HIGHEST MEAN	42.1	48.7	52.1	63.2	71.4	77.8	84.1	82.6	76.3	64.9	53.1	44.2	84.1
		MEDIAN	33.8	38.9	47.9	56.1	64.8	74.0	78.8	77.8	68.8	58.8	46.8	37.2	56.7
		LOWEST MEAN	20.7	25.3	40.4	51.0	61.5	69.5	76.5	71.4	64.1	53.5	40.4	23.5	20.7
		HIGHEST MEAN YEAR	1990	1976	19										




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 23

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
089	LEOLA	HIGHEST MEAN	48.2	54.6	60.7	68.6	74.7	81.0	85.3	85.8	78.7	68.1	57.8	54.3	85.8
		MEDIAN	41.6	47.1	54.8	62.3	69.9	77.2	80.7	79.9	73.1	62.4	51.7	44.8	62.2
		LOWEST MEAN	30.1	34.9	48.9	56.6	65.4	73.5	77.9	75.2	67.5	56.0	44.8	32.8	30.1
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1996	1998	1980	2000	1998	1971	1985	1984	2000
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1990	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.6	-0.5	-0.3	-0.3	-0.4	-0.5	-0.7	-1.1	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.1	-1.1	-1.4	-0.8	-0.6	-0.5	-0.8	-0.7	-0.8	-0.9	-0.7	
		HIGHEST MEAN	48.1	52.9	58.2	66.4	76.3	83.1	87.6	86.7	80.6	69.5	56.9	52.1	87.6
		MEDIAN	40.4	46.1	53.7	61.8	69.8	78.6	82.3	80.7	74.3	63.7	51.2	43.3	62.0
		LOWEST MEAN	29.3	33.2	48.2	54.4	64.3	74.2	79.3	76.5	69.2	58.0	46.2	30.9	29.3
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1987	1998	1980	1995	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
090	LITTLE ROCK A	HIGHEST MEAN	48.1	52.9	58.2	66.4	76.3	83.1	87.6	86.7	80.6	69.5	56.9	52.1	87.6
		MEDIAN	40.4	46.1	53.7	61.8	69.8	78.6	82.3	80.7	74.3	63.7	51.2	43.3	62.0
		LOWEST MEAN	29.3	33.2	48.2	54.4	64.3	74.2	79.3	76.5	69.2	58.0	46.2	30.9	29.3
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1987	1998	1980	1995	1998	1971	1973	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		HIGHEST MEAN	48.0	53.2	60.2	67.1	75.0	81.7	86.4	85.1	79.2	66.9	58.4	55.5	86.4
		MEDIAN	41.7	46.8	54.6	61.6	70.2	77.1	80.5	79.2	73.4	63.4	52.0	45.1	62.2
		LOWEST MEAN	31.5	35.4	50.0	56.9	64.1	73.1	77.8	75.6	66.9	55.8	45.5	34.3	31.5
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1996	1998	1998	2000	1980	1984	1985	1984	1998
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
092	MAGNOLIA	HIGHEST MEAN	48.0	53.2	60.2	67.1	75.0	81.7	86.4	85.1	79.2	66.9	58.4	55.5	86.4
		MEDIAN	41.7	46.8	54.6	61.6	70.2	77.1	80.5	79.2	73.4	63.4	52.0	45.1	62.2
		LOWEST MEAN	31.5	35.4	50.0	56.9	64.1	73.1	77.8	75.6	66.9	55.8	45.5	34.3	31.5
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1996	1998	1998	2000	1980	1984	1985	1984	1998
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	47.9	53.3	59.7	67.2	75.2	81.4	85.4	85.1	79.9	67.1	58.1	52.9	85.4
		MEDIAN	41.7	46.0	54.4	62.1	69.4	77.3	80.7	79.3	72.5	62.8	51.7	44.0	61.6
		LOWEST MEAN	29.8	34.3	49.0	56.8	64.7	71.1	76.1	75.0	67.5	55.2	44.0	32.2	29.8
		HIGHEST MEAN YEAR	1990	1976	1985	1981	1987	1998	1998	2000	1998	1971	1999	1984	1998
		LOWEST MEAN YEAR	1979	1978	1978	1983	1976	1995	1995	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.0	-0.9	-0.6	-0.5	-0.3	-0.3	-0.4	-0.6	-0.7	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.7	-1.8	-1.8	-1.2	-0.9	-0.8	-1.0	-1.1	-1.3	-1.5	-1.2	
093	MALVERN	HIGHEST MEAN	47.9	53.3	59.7	67.2	75.2	81.4	85.4	85.1	79.9	67.1	58.1	52.9	85.4
		MEDIAN	41.7	46.0	54.4	62.1	69.4	77.3	80.7	79.3	72.5	62.8	51.7	44.0	61.6
		LOWEST MEAN	29.8	34.3	49.0	56.8	64.7	71.1	76.1	75.0	67.5	55.2	44.0	32.2	29.8
		HIGHEST MEAN YEAR	1990	1976	1985	1981	1987	1998	1980	1995	1998	1971	1999	1984	1998
		LOWEST MEAN YEAR	1979	1978	1978	1983	1976	1974	1994	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.0	-0.9	-0.6	-0.5	-0.3	-0.3	-0.5	-0.4	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.7	-1.8	-1.8	-1.2	-0.9	-0.8	-1.0	-1.1	-1.3	-1.5	-1.2	
		HIGHEST MEAN	43.0	45.9	54.1	64.0	70.1	77.1	83.6	82.2	74.3	63.9	52.0	44.4	83.6
		MEDIAN	33.8	39.2	49.1	57.2	65.1	73.6	77.7	76.3	68.4	58.1	46.0	37.2	56.7
		LOWEST MEAN	20.5	27.2	41.5	51.9	61.0	69.1	75.5	70.9	63.2	52.6	37.1	24.9	20.5
094	MAMMOTH SPRINGS	HIGHEST MEAN	43.0	45.9	54.1	64.0	70.1	77.1	83.6	82.2	74.3	63.9	52.0	44.4	83.6
		MEDIAN	33.8	39.2	49.1	57.2	65.1	73.6	77.7	76.3	68.4	58.1	46.0	37.2	56.7
		LOWEST MEAN	20.5	27.2	41.5	51.9	61.0	69.1	75.5	70.9	63.2	52.6	37.1	24.9	20.5
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1982	1971	1980	1980	1998	1971	1999	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	-0.1	-0.4	-0.3	-0.3	-0.5	-0.4	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.0	0.1
		HIGHEST MEAN	43.5	51.7	56.6	64.2	71.7	78.1	83.7	82.7	76.5	64.7	54.5	47.9	83.7
		MEDIAN	38.6	43.6	50.8	58.5	66.3	74.5	77.8	77.3	70.3	61.0	49.3	41.2	59.2
		LOWEST MEAN	26.0	30.5	44.5	53.0	62.5	70.5	75.6	72.3	65.1	55.7	42.1	29.2	26.0
099	MENA	HIGHEST MEAN	43.5	51.7	56.6	64.2	71.7	78.1	83.7	82.7	76.5	64.7	54.5	47.9	83.7
		MEDIAN	38.6	43.6	50.8	58.5	66.3	74.5	77.8	77.3	70.3	61.0	49.3	41.2	59.2
		LOWEST MEAN	26.0	30.5	44.5	53.0	62.5	70.5	75.6	72.3	65.1	55.7	42.1	29.2	26.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1994	1998	2000	1998	1973	1999	1984	1998
		LOWEST MEAN YEAR	1979	1978	1996	1983	1981	1983	1989	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.7	1.2	1.0	0.0	0.1	0.0	0.4	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	47.5	55.7	60.4	69.9	74.7	82.1	84.6	85.7	79.2	68.9	58.7	53.5	85.7
		MEDIAN	41.8	46.4	54.2	61.7	69.8	77.5	80.9	79.0	74.2	63.4	53.2	45.0	62.4
		LOWEST MEAN	32.0	34.6	49.0	56.3	64.6	74.1	78.4	75.4	68.4	55.9	44.7	33.9	32.0
100	MONTICELLO 3	HIGHEST MEAN	47.5	55.7	60.4	69.9	74.7	82.1	84.6						




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 24

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
102	MOUNT IDA 3 S	HIGHEST MEAN	44.0	49.3	56.2	64.5	71.8	77.1	83.4	82.5	76.8	62.9	53.7	49.0	83.4
		MEDIAN	37.9	41.9	50.1	57.8	65.9	74.3	78.1	77.2	69.6	58.8	48.6	40.2	58.1
		LOWEST MEAN	26.5	30.4	44.4	53.0	60.8	69.6	74.6	73.0	64.1	51.4	41.1	29.0	26.5
		HIGHEST MEAN YEAR	1998	1976	1974	1981	1996	1998	1980	2000	1998	1973	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.0	0.0	0.1	0.0	0.4	0.3	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
103	MOUNTAINBURG	HIGHEST MEAN	46.4	52.4	57.6	67.6	73.7	79.0	85.6	84.1	78.3	65.6	56.5	48.0	85.6
		MEDIAN	39.2	44.6	53.4	61.1	67.6	75.4	80.0	78.8	72.5	62.0	50.5	41.8	60.3
		LOWEST MEAN	26.8	32.1	46.7	55.9	62.8	72.2	77.3	72.9	65.3	54.9	43.5	28.3	26.8
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1991	1994	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1982	1972	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.8	-0.5	-0.4	-0.4	-0.5	-0.7	-0.8	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.7	-1.7	-2.2	-1.3	-1.0	-0.9	-1.2	-1.3	-1.1	-1.5	-1.3	
104	MOUNTAIN HOME	HIGHEST MEAN	42.2	47.8	53.9	64.3	72.0	77.1	85.5	84.7	76.2	64.2	55.8	44.4	85.5
		MEDIAN	34.0	39.6	48.8	57.5	65.3	73.4	78.2	77.2	69.3	59.2	46.7	37.5	57.1
		LOWEST MEAN	20.5	26.4	41.1	51.7	61.3	68.9	75.6	71.3	64.1	54.4	40.5	22.5	20.5
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1971	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1975	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	0.0	-0.4	-0.3	-0.3	-0.5	-0.4	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
105	MOUNTAIN VIEW	HIGHEST MEAN	43.8	48.6	53.8	65.2	72.2	78.9	84.3	85.1	76.5	65.6	55.6	47.9	85.1
		MEDIAN	36.3	41.4	50.1	58.6	66.1	75.1	79.7	77.8	70.7	60.4	50.0	40.4	58.6
		LOWEST MEAN	24.1	28.9	42.5	52.1	60.7	70.0	75.7	72.9	63.9	54.8	40.7	26.5	24.1
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	1980	1998	1971	1990	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.1	-0.1	-0.2	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
106	MURFREESBORO	HIGHEST MEAN	44.9	50.0	57.0	63.9	72.5	78.7	85.5	85.3	78.8	65.8	57.6	51.0	85.5
		MEDIAN	39.4	43.5	52.1	59.0	67.7	75.3	79.1	78.5	72.1	61.7	49.5	41.9	59.8
		LOWEST MEAN	27.4	32.0	45.7	54.2	62.8	70.3	75.3	73.7	66.5	54.3	43.1	29.9	27.4
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1980	1980	2000	1980	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1980	1983	1976	1976	1976	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	1.0	0.0	0.1	0.0	0.4	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
107	NASHVILLE	HIGHEST MEAN	46.2	52.6	59.1	66.4	73.7	80.5	86.7	84.9	79.6	67.7	56.8	52.8	86.7
		MEDIAN	41.0	45.4	53.6	60.6	69.0	77.2	80.7	80.1	73.6	63.3	51.7	43.5	61.7
		LOWEST MEAN	31.1	33.8	48.0	55.7	64.5	73.5	77.5	75.6	67.3	56.6	45.6	31.5	31.1
		HIGHEST MEAN YEAR	1998	1976	1974	1981	1987	1998	1998	2000	1998	1971	1985	1984	1998
		LOWEST MEAN YEAR	1979	1978	1978	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.0	0.1	0.0	0.4	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
110	NEWPORT	HIGHEST MEAN	43.7	50.3	56.8	67.4	76.4	81.6	87.9	85.7	78.2	70.2	56.7	49.7	87.9
		MEDIAN	38.0	42.7	51.7	60.9	69.2	78.1	82.2	79.7	73.3	61.8	51.4	41.8	60.7
		LOWEST MEAN	23.7	30.7	45.2	55.2	64.5	73.9	78.8	75.6	66.6	57.5	44.4	30.0	23.7
		HIGHEST MEAN YEAR	1990	1976	1977	1981	1987	1998	1980	1983	1986	1971	1990	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	0.0	-0.4	-0.3	-0.3	-0.5	-0.4	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
111	NIMROD DAM	HIGHEST MEAN	44.6	49.9	55.1	64.5	73.0	80.5	86.9	86.4	78.0	66.0	55.4	49.2	86.9
		MEDIAN	38.4	42.6	51.4	59.3	67.5	75.7	80.0	79.6	71.9	61.2	48.9	40.4	59.5
		LOWEST MEAN	26.4	30.5	44.8	54.2	62.2	71.3	77.1	74.4	65.1	55.4	42.2	30.0	26.4
		HIGHEST MEAN YEAR	1990	2000	1985	1981	1991	1998	1980	2000	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1975	1983	1981	1974	1988	1986	1974	1987	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.4	-0.2	-0.3	-0.2	-0.3	-0.4	0.4	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
112	NORTH LITTLE	HIGHEST MEAN	48.1	54.7	59.5	70.4	76.4	82.8	90.0	88.2	79.9	70.3	58.5	52.5	90.0
		MEDIAN	40.7	46.2	55.0	62.8	70.3	79.0	83.0	81.6	75.0	64.2	52.7	43.9	62.6
		LOWEST MEAN	28.5	33.0	47.9	56.1	65.3	74.6	78.8	76.9	69.0	58.9	46.0	30.7	28.5
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	2000	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
115	OKAY	HIGHEST MEAN	49.2	56.5	62.6	68.1	76.1	82.5	87.6	86.7	80.5	70.3	60.2	55.1	87.6
		MEDIAN	43.7	48.9	56.3	63.9	71.2	78.5	82.3	81.6	74.4	65.4	54.8	46.4	63.9
		LOWEST MEAN	33.5	37.6	51.3	58.9	67.4	75.4	78.9	76.9	69.9	58.7	48.1	36.1	33.5
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1974	1998	1998	2000	1998	1971	1999	1984	1998
		LOWEST MEAN YEAR	1979	1978	1996	1983	1981	1989	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.6	-0.5	-0.3	-0.3	-0.4	-0.5	-0.7	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.7	-1.8	-1.8	-1.2	-0.9	-0.8	-1.0	-1.3	-1.3	-1.5	-1.3	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 25

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
118	OZARK	HIGHEST MEAN	42.5	50.4	56.3	66.8	72.6	80.0	85.8	86.3	79.5	66.8	55.6	46.5	86.3
		MEDIAN	37.7	43.5	50.8	58.9	66.7	75.8	80.0	79.4	72.7	61.6	49.8	40.3	59.6
		LOWEST MEAN	25.5	31.4	43.5	54.4	64.2	72.4	77.2	72.5	66.9	55.9	43.5	26.6	25.5
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1974	1977	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1979	1978	1996	1997	1997	1974	1989	1992	1974	1987	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.3	1.2	0.0	0.1	-0.1	0.4	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	43.3	47.5	55.6	65.9	73.4	80.3	86.1	83.6	78.9	66.7	54.8	46.8	86.1
		MEDIAN	35.3	40.1	50.0	59.6	68.3	77.2	80.2	78.4	71.9	61.0	48.0	39.3	58.9
		LOWEST MEAN	22.0	26.6	43.9	52.2	63.4	71.6	78.0	74.7	66.0	54.9	40.7	27.1	22.0
120	PARAGOULD 1 S	HIGHEST MEAN	1990	1976	1973	1981	1987	1998	1980	1980	1998	1971	1999	1984	1980
		MEDIAN	1979	1978	1996	1997	1997	1974	1972	1992	1974	1976	1976	1983	1977
		LOWEST MEAN	1977	1978	1984	1983	1976	1974	1972	1992	1974	1976	1976	1983	
		HIGHEST MEAN YEAR	0.7	1.1	-0.1	-0.6	-0.4	-0.3	-0.3	-0.5	-0.4	-0.4	0.5	0.4	
		LOWEST MEAN YEAR	0.4	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.3	-0.4	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	48.1	55.6	61.8	69.3	76.5	81.9	87.0	85.9	78.8	69.5	57.6	54.0	87.0
		MEDIAN	41.5	46.7	54.4	62.6	70.5	78.8	81.8	80.8	74.2	63.6	52.5	44.6	62.7
		LOWEST MEAN	30.4	34.5	48.2	56.2	65.4	75.5	78.9	76.1	69.2	57.8	45.6	31.5	30.4
123	PINE BLUFF	HIGHEST MEAN	1990	1976	1974	1981	1987	1998	1980	1980	1998	1971	1973	1984	1980
		MEDIAN	1979	1978	1996	1983	1976	1976	1989	1992	1974	1976	1976	1983	1979
		LOWEST MEAN	1977	1978	1996	1997	1976	1974	1994	1992	1974	1976	1976	1983	
		HIGHEST MEAN YEAR	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.3	-0.4	-0.3	-0.4	0.5	0.4	
		LOWEST MEAN YEAR	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.3	1.3	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	42.9	46.4	53.6	63.9	73.8	80.1	86.8	85.0	76.3	66.9	54.3	46.0	86.8
		MEDIAN	34.9	39.7	50.1	57.9	67.3	76.1	79.9	77.9	70.8	59.9	48.1	38.2	58.4
		LOWEST MEAN	22.3	26.7	42.5	53.4	62.4	71.4	77.1	73.5	64.5	54.6	40.0	27.7	22.3
126	POCAHONTAS 1	HIGHEST MEAN	1990	1976	1973	1981	1987	1971	1980	1983	1986	1971	1999	1982	1980
		MEDIAN	1979	1978	1996	1983	1976	1976	1989	1992	1974	1976	1976	1983	1977
		LOWEST MEAN	1977	1978	1996	1997	1976	1974	1994	1992	1974	1976	1976	2000	
		HIGHEST MEAN YEAR	1.5	2.0	1.3	1.3	0.0	0.0	-0.1	-0.2	0.4	0.4	1.2	1.1	
		LOWEST MEAN YEAR	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	47.8	53.8	59.1	68.2	77.6	84.2	85.3	84.8	78.8	69.2	59.6	55.4	85.3
		MEDIAN	42.0	46.0	54.3	62.3	71.2	79.0	81.6	80.3	74.4	63.9	54.1	45.0	62.9
		LOWEST MEAN	31.3	35.3	49.6	56.7	65.5	75.1	78.6	76.6	68.5	57.2	45.9	36.1	31.3
127	PORTLAND	HIGHEST MEAN	1989	1976	1974	1981	1996	1998	1980	2000	1998	1998	1985	1984	1980
		MEDIAN	1977	1978	1971	1983	1976	1976	1972	1992	1974	1976	1976	1989	1977
		LOWEST MEAN	1.5	1.8	1.1	0.9	0.0	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		HIGHEST MEAN YEAR	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		LOWEST MEAN YEAR	1.5	1.7	1.1	1.0	0.1	0.1	0.0	-0.2	0.2	0.4	1.1	1.1	
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.3	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	46.9	54.4	60.5	68.2	73.9	80.8	86.2	85.5	79.8	68.3	56.7	53.3	86.2
		MEDIAN	41.0	46.4	54.2	61.7	70.0	77.4	81.0	80.4	74.0	63.5	51.7	44.0	62.3
		LOWEST MEAN	30.2	35.0	49.5	57.4	66.2	74.2	78.2	75.6	67.7	57.5	45.3	32.6	30.2
128	PRESCOTT	HIGHEST MEAN	1990	1976	1974	1981	1987	1998	1998	2000	1998	1971	1985	1984	1998
		MEDIAN	1979	1978	1996	1997	1976	1974	1989	1992	1974	1976	1976	1983	1979
		LOWEST MEAN	1.5	1.8	1.1	0.9	0.0	0.1	0.0	-0.2	0.2	0.4	1.1	1.1	
		HIGHEST MEAN YEAR	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		LOWEST MEAN YEAR	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.3	0.3	1.1	1.1	
		MIN OBS TIME ADJUSTMENT	1.5	1.7	1.1	1.0	0.1	0.1	0.0	-0.2	0.2	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	47.5	53.6	59.0	68.3	76.0	82.6	85.1	83.9	80.0	68.7	58.4	54.0	85.1
		MEDIAN	41.2	45.8	53.9	62.1	70.5	78.8	81.6	79.7	73.8	63.4	53.2	44.4	62.2
		LOWEST MEAN	30.8	33.6	48.6	56.1	65.6	74.1	78.4	75.8	68.2	57.5	45.3	32.6	30.8
130	ROHWER 2 NNE	HIGHEST MEAN	1990	1976	1974	1981	1996	1998	1993	2000	1998	1971	1985	1984	1993
		MEDIAN	1977	1978	1980	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		LOWEST MEAN	1.5	1.7	1.1	1.0	0.1	0.1	0.0	-0.2	0.2	0.4	1.1	1.1	
		HIGHEST MEAN YEAR	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		LOWEST MEAN YEAR	1.5	1.7	1.1	1.0	0.1	0.1	0.0	-0.2	0.2	0.4	1.1	1.1	
		MIN OBS TIME ADJUSTMENT	1.5	1.7	1.1	1.0	0.1	0.1	0.0	-0.2	0.2	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	46.4	52.3	58.4	68.5	75.3	82.1	86.6	86.2	79.1	68.5	58.4	53.2	86.6
		MEDIAN	40.2	44.9	53.5	61.1	69.5	78.2	81.4	80.1	73.9	63.2	52.3	43.2	61.7
		LOWEST MEAN	28.3	33.0	47.9	55.5	63.5	72.9	79.1	75.9	66.4	56.7	43.3	32.2	28.3
131	SAINT CHARLES	HIGHEST MEAN	1990	1976	1974	1981	1998	1998	1980	1980	1998	1971	1985	1984	1980
		MEDIAN	1979	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1983	1979
		LOWEST MEAN	0.7	1.1	-0.1	0.0	-0.3	-0.2	-0.3	-0.4	-0.3	-0.4	0.5	0.4	
		HIGHEST MEAN YEAR	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		LOWEST MEAN YEAR	1.5	1.8	1										



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

ARKANSAS

Page 26

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
138	SILOAM SPRING	HIGHEST MEAN	42.2	47.5	52.4	62.1	70.5	76.5	84.3	83.8	77.3	62.6	55.1	43.8	84.3
		MEDIAN	35.0	40.2	48.4	56.0	64.0	72.8	78.1	77.2	69.1	59.0	47.4	38.4	56.8
		LOWEST MEAN	22.0	27.9	41.3	49.0	59.0	68.9	74.7	71.4	61.7	52.3	39.6	23.8	22.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1980	1980	1980	1998	1971	1999	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1982	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	1.3	0.0	0.1	-0.1	0.5	0.4	0.4	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	47.3	53.0	59.1	67.8	73.7	80.1	87.3	88.0	78.9	68.4	57.5	49.4	88.0
		MEDIAN	40.6	45.3	53.8	61.3	69.5	77.4	81.0	80.0	72.7	62.1	52.5	44.1	61.5
		LOWEST MEAN	30.4	36.6	47.7	55.5	64.4	73.4	78.8	76.7	67.9	55.6	44.8	31.5	30.4
		HIGHEST MEAN YEAR	1990	1990	1974	1981	1991	1998	1998	1995	1990	1998	1989	1984	1995
		LOWEST MEAN YEAR	1979	1978	1980	1997	1997	1974	1971	1971	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
139	SPARKMAN	HIGHEST MEAN	47.3	53.0	59.1	67.8	73.7	80.1	87.3	88.0	78.9	68.4	57.5	49.4	88.0
		MEDIAN	40.6	45.3	53.8	61.3	69.5	77.4	81.0	80.0	72.7	62.1	52.5	44.1	61.5
		LOWEST MEAN	30.4	36.6	47.7	55.5	64.4	73.4	78.8	76.7	67.9	55.6	44.8	31.5	30.4
		HIGHEST MEAN YEAR	1990	1990	1974	1981	1991	1998	1998	1995	1990	1998	1989	1984	1995
		LOWEST MEAN YEAR	1979	1978	1980	1997	1997	1974	1971	1971	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	49.5	56.7	63.1	69.3	75.2	82.4	87.2	86.3	80.3	68.3	59.2	55.4	87.2
		MEDIAN	43.2	48.4	55.7	63.1	70.5	77.9	81.1	80.4	73.8	64.2	53.3	45.8	63.1
		LOWEST MEAN	32.6	36.0	50.2	58.1	67.2	74.9	78.5	76.5	68.9	57.7	46.4	34.9	32.6
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1998	1980	1980	1971	1985	1984	1998
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
140	STAMPS	HIGHEST MEAN	49.5	56.7	63.1	69.3	75.2	82.4	87.2	86.3	80.3	68.3	59.2	55.4	87.2
		MEDIAN	43.2	48.4	55.7	63.1	70.5	77.9	81.1	80.4	73.8	64.2	53.3	45.8	63.1
		LOWEST MEAN	32.6	36.0	50.2	58.1	67.2	74.9	78.5	76.5	68.9	57.7	46.4	34.9	32.6
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1998	1980	1980	1971	1985	1984	1998
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1972	1992	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	46.3	53.0	58.4	68.2	76.1	83.2	87.0	84.9	79.2	69.8	57.3	52.6	87.0
		MEDIAN	40.4	44.4	52.8	61.4	70.5	79.1	82.1	80.4	74.1	63.7	53.3	43.9	62.0
		LOWEST MEAN	29.3	32.9	47.8	55.3	64.6	74.3	79.3	76.4	68.3	57.4	44.9	32.6	29.3
142	STUTTGART 9 E	HIGHEST MEAN	29.3	32.9	47.8	55.3	64.6	74.3	79.3	76.4	68.3	57.4	44.9	32.6	29.3
		MEDIAN	25.8	31.7	46.0	54.6	63.3	72.1	76.9	73.8	66.2	56.6	44.5	32.3	25.8
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1971	1999	1984	2000
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.9	-0.8	-0.5	-0.3	-0.3	-0.4	-0.5	-0.7	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.6	-0.6	-1.0	-0.5	-0.4	-0.3	-0.6	-0.5	-0.4	-0.6	-0.5	
		HIGHEST MEAN	46.6	52.9	57.1	67.4	73.2	80.1	85.7	86.2	79.0	66.5	56.6	48.8	86.2
		MEDIAN	39.1	44.7	53.0	60.6	67.9	76.2	80.2	79.5	71.9	62.1	50.7	41.6	60.5
		LOWEST MEAN	25.8	31.7	46.0	54.6	63.3	72.1	76.9	73.8	66.2	56.6	44.5	32.3	25.8
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1971	1999	1984	2000
143	SUBIACO	LOWEST MEAN	1979	1978	1975	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.9	-0.8	-0.5	-0.3	-0.3	-0.4	-0.5	-0.7	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.6	-0.6	-1.0	-0.5	-0.4	-0.3	-0.6	-0.5	-0.4	-0.6	-0.5	
		HIGHEST MEAN	46.6	52.9	57.1	67.4	73.2	80.1	85.7	86.2	79.0	66.5	56.6	48.8	86.2
		MEDIAN	39.1	44.7	53.0	60.6	67.9	76.2	80.2	79.5	71.9	62.1	50.7	41.6	60.5
		LOWEST MEAN	25.8	31.7	46.0	54.6	63.3	72.1	76.9	73.8	66.2	56.6	44.5	32.3	25.8
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1971	1999	1984	2000
		LOWEST MEAN YEAR	1979	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.9	-0.8	-0.5	-0.3	-0.3	-0.4	-0.5	-0.7	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.6	-0.6	-1.0	-0.5	-0.4	-0.3	-0.6	-0.5	-0.4	-0.6	-0.5	
145	TEXARKANA WEB	HIGHEST MEAN	50.7	57.2	61.3	71.8	76.1	83.4	88.7	87.9	82.0	70.7	60.8	56.8	88.7
		MEDIAN	44.7	50.3	57.2	64.2	71.8	79.1	82.1	82.2	76.0	65.8	55.0	47.4	64.5
		LOWEST MEAN	35.7	38.7	51.6	59.5	67.2	74.8	79.3	76.7	68.3	58.6	48.1	36.0	35.7
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1981	1998	1980	1980	1971	1978	1984	1998
		LOWEST MEAN YEAR	1978	1978	1996	1997	1976	1974	1989	1992	1974	1976	1976	1983	1978
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	45.9	53.2	59.0	67.3	73.8	80.2	85.7	85.4	79.5	65.5	55.9	50.1	85.7
		MEDIAN	39.7	45.0	53.1	60.9	68.0	76.0	79.9	78.8	71.4	61.6	50.7	42.7	60.7
		LOWEST MEAN	29.2	34.1	47.4	55.5	63.7	72.0	76.4	74.3	66.9	56.6	43.7	30.2	29.2
147	WARREN 2 WSW	HIGHEST MEAN	47.2	53.6	58.8	66.8	74.0	82.4	85.1	84.6	78.8	68.0	58.0	54.3	85.1
		MEDIAN	42.0	45.3	53.5	61.0	69.2	76.9	81.1	79.9	73.3	62.7	52.4	44.0	61.7
		LOWEST MEAN	30.7	33.0	47.3	55.2	63.4	73.2	78.1	75.3	68.2	56.6	44.4	33.8	30.7
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1996	1998	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1989	1992	1974</td				